



Products for Maintenance

Lubricants and lubrication devices



Lubricants and lubrication devices

Lubricants

Designation	Description	Further information
① ARCANOL-MULTITOP ARCANOL-MULTI2 ARCANOL-MULTI3	Multi-purpose grease	TPI 168
ARCANOL-LOAD150 ARCANOL-LOAD220 ARCANOL-LOAD400 ARCANOL-LOAD460 ARCANOL-LOAD1000	Grease for high loads	TPI 168
ARCANOL-TEMP90 ARCANOL-TEMP110 ARCANOL-TEMP120 ARCANOL-TEMP200	Grease for high temperatures	TPI 168
ARCANOL-SPEED2,6 ARCANOL-VIB3 ARCANOL-FOOD2 ARCANOL-CLEAN-M ARCANOL-MOTION2	Grease for special requirements	TPI 168

Automatic relubrication devices and accessories

Designation	Description	Further information
② ARCALUB-C1	Electrochemical lubricator CONCEPT1, 1 outlet	TPI 252, Brochure FBS
③ ARCALUB-C2	Electromechanical lubricator CONCEPT2, 2 outlets	
④ ARCALUB-C4	Electromechanical lubricator CONCEPT4, 4 outlets	
⑤ ARCALUB-C8	Electromechanical lubricator CONCEPT8, 8 outlets	
⑥ ARCALUB Cartridges	Grease cartridges	
⑦ ARCALUB Accessories	Accessories for lubricators	

Metering pistol grease guns and grease pumps

Designation	Description	Further information
⑧ ARCA-GREASE-GUN	Lever grease gun	TPI 252
⑨ ARCA-PUMP-BARREL	Drum pump	
⑩ ARCA-PUMP-BARREL-MANUAL	Manual drum pump	
⑪ ARCA-PUMP-BARREL.GUN-METER	Metering pistol grease gun	
⑫ TOOL-RAILWAY-GREASER	Bearing-specific greasing tool	TPI 156

Further information is given in the Schaeffler Media Library

► <https://www.schaeffler.de/std/1D51>

Tools for mounting and dismounting



① FITTING-TOOL-ALU-10-50



② LOCKNUT-DOUBLEHOOK



③ LOCKNUT-HOOK



④ LOCKNUT-SOCKET



⑤ PULLER-2ARM



⑥ PULLER-3ARM



⑦ PULLER-HYD




⑧ PULLER-TRISECTION



⑨ BEARING-MATE



⑩ HEAT-GENERATOR



⑪ HEAT-INDUCTOR




⑫ HEATER



⑬ HYDNUIT



⑭ PUMP



⑮ TOOL-RAILWAY-AGGREGATE



⑯ TOOL-RAILWAY-AXLE



⑰ TOOL-RAILWAY-SEALCAP-PRESS



⑱ TOOL-RAILWAY-SEALCAP

Tools for mounting and dismounting

Mechanical mounting and dismounting

Designation	Description	Further information
① FITTING-TOOL-ALU-10-50	Mounting tool set	TPI 216
② LOCKNUT-DOUBLEHOOK	Double hook wrench	
③ LOCKNUT-HOOK	Hook wrench	
④ LOCKNUT-SOCKET	Socket	
⑤ PULLER-2ARM	Two-arm extractor	
⑥ PULLER-3ARM	Three-arm extractor	
⑦ PULLER-HYD	Hydraulic extractor	
⑧ PULLER-TRISECTION	Three-section extraction plate	

Thermal mounting and dismounting

Designation	Description	Further information
⑨ BEARING-MATE	Transport and mounting tool	TPI 217, TPI 216
⑩ HEAT-GENERATOR	Generator (medium frequency technology)	TPI 217
⑪ HEAT-INDUCTOR	Inductor (medium frequency technology)	
⑫ HEATER	Induction heating device	TPI 200

Hydraulic mounting and dismounting

Designation	Description	Further information
⑬ HYDNUT	Hydraulic nut	TPI 196
⑭ PUMP	Hydraulic hand pump	TPI 195
⑮ TOOL-RAILWAY-AGGREGATE	Hydraulic unit	TPI 156
⑯ TOOL-RAILWAY-AXLE	Tool set	
⑰ TOOL-RAILWAY-SEALCAP-PRESS	Hydraulic press	
⑱ TOOL-RAILWAY-SEALCAP	Sealing cap tool	

Further information is given in the Schaeffler Media Library

► <https://www.schaeffler.de/std/1D51>

Alignment and measuring devices

①



LASER-EQUILIGN

②



LASER-SMARTY2

③



LASER-TRUMMY2

④



FEELER-GAUGE

⑤



TOOL-RAILWAY-INSPECTION-DEVICE

⑥



TOOL-RAILWAY-CLEARANCE

Alignment and measuring devices

Alignment and measuring devices

Designation	Description	Further information
① LASER-EQUILIGN	Shaft alignment device	TPI 182
② LASER-SMARTY2	Belt pulley alignment device	
③ LASER-TRUMMY2	Belt tension measuring device	

Gauges, mechanical

Designation	Description	Further information
④ FEELER-GAUGE	Feeler gauges	Schaeffler eCommerce
⑤ TOOL-RAILWAY-INSPECTION-DEVICE	Visual inspection device	TPI 156
⑥ TOOL-RAILWAY-CLEARANCE	Axial clearance gauge	

Further information is given in the Schaeffler Media Library

► <https://www.schaeffler.de/std/1D51>

**Schaeffler Technologies
AG & Co. KG**

Georg-Schäfer-Straße 30
97421 Schweinfurt
Germany
Internet www.schaeffler.de/en
E-mail info.de@schaeffler.com

In Germany:

Phone 0180 5003872

Fax 0180 5003873

From other countries:

Phone +49 9721 91-0

Fax +49 9721 91-3435

Every care has been taken to ensure the correctness of the information contained in this publication but no liability can be accepted for any errors or omissions. We reserve the right to make technical changes.

© Schaeffler Technologies AG & Co. KG

Issued: 2020, September

This publication or parts thereof may not be reproduced without our permission.

PDB 31 GB-D