



Metric Power™ Belts

Markets/Applications

- Textile Mills
- Machine Tool
- Food Processing

Features/Advantages

- Narrow and Classical sizes
- Vextra Construction
- Variable speed sizes — MTO
- Raw edge ground construction
- Molded notches reduce thermal and bending stresses
- Straight sidewalls for uniform wedging action
- Flex-bonded tensile cord
- Static conductive

How to Describe and Order

Specify the quantity required followed by the part number.

Narrow cross sections include: XPZ/SPZ, XPA/SPA, XPB/SPB and XPC/SPC.


Classical cross sections include: 10x, 13x and 17x. Metric Power belts are molded notch construction in lengths 3,000 mm and under. Metric Power belts are banded construction in lengths over 3,000 mm.

Sizes not listed and special constructions (variable speed) may be made-to-order. Contact Customer Service for availability.



Narrow Sizes

Product No. Series 9426 XPZ/SPZ Section



Part No.	Product No.	Sugg. List Price
XPZ604	9426-10604	\$6.81
XPZ612	9426-10612	6.81
XPZ630	9426-10630	6.81
XPZ637	9426-10637	6.91
XPZ640	9426-10640	6.91
XPZ660	9426-10660	6.91
XPZ670	9426-10670	6.91
XPZ672	9426-10672	7.32
XPZ682	9426-10682	7.32
XPZ710	9426-10710	7.32
XPZ722	9426-10722	7.60
XPZ730	9426-10730	7.60
XPZ737	9426-10737	7.60
XPZ750	9426-10750	7.60
XPZ758	9426-10758	7.60
XPZ762	9426-10762	7.82
XPZ787	9426-10787	7.82
XPZ800	9426-10800	7.82
XPZ812	9426-10812	8.41
XPZ825	9426-10825	8.41
XPZ837	9426-10837	8.41
XPZ850	9426-10850	8.41
XPZ862	9426-10862	8.71
XPZ875	9426-10875	8.71
XPZ887	9426-10887	8.71
XPZ900	9426-10900	8.71
XPZ912	9426-10912	9.21
XPZ925	9426-10925	9.21
XPZ937	9426-10937	9.21
XPZ950	9426-10950	9.21
XPZ962	9426-10962	9.90
XPZ987	9426-10987	9.90
XPZ1000	9426-11000	9.90

Part No.	Product No.	Sugg. List Price
XPZ1010	9426-11010	\$10.41
XPZ1012	9426-11012	10.41
XPZ1024	9426-11024	10.41
XPZ1037	9426-11037	10.41
XPZ1047	9426-11047	10.41
XPZ1060	9426-11060	10.41
XPZ1077	9426-11077	11.03
XPZ1080	9426-11080	11.03
XPZ1087	9426-11087	11.03
XPZ1112	9426-11112	11.03
XPZ1120	9426-11120	11.03
XPZ1137	9426-11137	11.83
XPZ1140	9426-11140	11.83
XPZ1150	9426-11150	11.83
XPZ1162	9426-11162	11.83
XPZ1180	9426-11180	11.83
XPZ1187	9426-11187	12.41
XPZ1202	9426-11202	12.41
XPZ1210	9426-11210	12.41
XPZ1212	9426-11212	12.41
XPZ1227	9426-11227	12.41
XPZ1237	9426-11237	12.41
XPZ1250	9426-11250	12.41
XPZ1262	9426-11262	12.82
XPZ1270	9426-11270	12.82
XPZ1287	9426-11287	12.82
XPZ1312	9426-11312	12.82
XPZ1320	9426-11320	12.82
XPZ1337	9426-11337	13.83
XPZ1340	9426-11340	13.83
XPZ1362	9426-11362	13.83
XPZ1387	9426-11387	13.83
XPZ1400	9426-11400	13.83

Part No.	Product No.	Sugg. List Price
XPZ1412	9426-11412	\$14.62
XPZ1420	9426-11420	14.62
XPZ1430	9426-11430	14.62
XPZ1437	9426-11437	14.62
XPZ1450	9426-11450	14.62
XPZ1462	9426-11462	14.62
XPZ1470	9426-11470	14.62
XPZ1487	9426-11487	14.62
XPZ1500	9426-11500	15.62
XPZ1512	9426-11512	15.62
XPZ1520	9426-11520	15.62
XPZ1527	9426-11527	15.62
XPZ1537	9426-11537	15.62
XPZ1560	9426-11560	15.62
XPZ1562	9426-11562	15.62
XPZ1587	9426-11587	15.62
XPZ1600	9426-11600	17.22
XPZ1612	9426-11612	17.22
XPZ1637	9426-11637	17.22
XPZ1650	9426-11650	17.22
XPZ1662	9426-11662	17.22
XPZ1687	9426-11687	17.22
XPZ1700	9426-11700	19.04
XPZ1712	9426-11712	19.04
XPZ1737	9426-11737	19.04
XPZ1750	9426-11750	19.04
XPZ1762	9426-11762	19.04
XPZ1787	9426-11787	19.04
XPZ1800	9426-11800	19.84
XPZ1812	9426-11812	19.84
XPZ1837	9426-11837	19.84
XPZ1850	9426-11850	19.84
XPZ1862	9426-11862	19.84

Part No.	Product No.	Sugg. List Price
XPZ1887	9426-11887	\$19.84
XPZ1900	9426-11900	19.84
XPZ1937	9426-11937	21.23
XPZ1950	9426-11950	21.23
XPZ1962	9426-11962	21.23
XPZ1987	9426-11987	21.23
XPZ2000	9426-12000	21.23
XPZ2030	9426-12030	22.43
XPZ2037	9426-12037	22.43
XPZ2062	9426-12062	22.43
XPZ2087	9426-12087	22.43
XPZ2120	9426-12120	24.02
XPZ2137	9426-12137	24.02
XPZ2187	9426-12187	24.02
XPZ2240	9426-12240	24.02
XPZ2280	9426-12280	25.44
XPZ2287	9426-12287	25.44
XPZ2300	9426-12300	25.44
XPZ2360	9426-12360	25.44
XPZ2410	9426-12410	26.16
XPZ2437	9426-12437	26.16
XPZ2487	9426-12487	27.24
XPZ2500	9426-12500	28.03
XPZ2540	9426-12540	28.03
XPZ2650	9426-12650	29.24
XPZ2800	9426-12800	31.23
XPZ2840	9426-12840	33.23
XPZ3000	9426-13000	33.23
¹⁴ SPZ3150	9426-03150	34.04
¹⁴ SPZ3350	9426-03350	36.26
¹⁴ SPZ3550	9426-03550	38.45

¹⁴Not made with Vextra construction.


Prices Subject To Change Without Notice





Metric Power™ Belts (continued)

Product No. Series 9420
XPA/SPA Section



Part No.	Product No.	Sugg. List Price
XPA630	9420-10630	\$10.55
XPA670	9420-10670	10.55
XPA730	9420-10730	11.03
XPA732	9420-10732	11.03
XPA750	9420-10750	11.03
XPA760	9420-10760	11.03
XPA762	9420-10762	11.03
XPA772	9420-10772	11.03
XPA782	9420-10782	11.03
XPA800	9420-10800	11.03
XPA832	9420-10832	11.42
XPA850	9420-10850	12.22
XPA900	9420-10900	12.22
XPA910	9420-10910	12.22
XPA922	9420-10922	12.22
XPA932	9420-10932	13.03
XPA950	9420-10950	13.03
XPA967	9420-10967	13.61
XPA982	9420-10982	13.61
XPA1000	9420-11000	13.61
XPA1032	9420-11032	14.62
XPA1060	9420-11060	14.62
XPA1082	9420-11082	15.83
XPA1107	9420-11107	15.83
XPA1120	9420-11120	15.83
XPA1132	9420-11132	15.83
XPA1150	9420-11150	16.83
XPA1157	9420-11157	16.83
XPA1180	9420-11180	16.83
XPA1207	9420-11207	17.62
XPA1232	9420-11232	17.62
XPA1250	9420-11250	17.62
XPA1257	9420-11257	18.23

Part No.	Product No.	Sugg. List Price
XPA1272	9420-11272	\$18.23
XPA1282	9420-11282	18.23
XPA1300	9420-11300	18.23
XPA1307	9420-11307	18.23
XPA1320	9420-11320	18.23
XPA1332	9420-11332	20.63
XPA1340	9420-11340	20.63
XPA1357	9420-11357	20.63
XPA1360	9420-11360	20.63
XPA1375	9420-11375	20.63
XPA1382	9420-11382	20.63
XPA1400	9420-11400	20.63
XPA1407	9420-11407	20.63
XPA1425	9420-11425	23.63
XPA1430	9420-11430	23.63
XPA1432	9420-11432	23.63
XPA1450	9420-11450	23.63
XPA1457	9420-11457	23.63
XPA1482	9420-11482	23.63
XPA1500	9420-11500	23.63
XPA1507	9420-11507	25.23
XPA1525	9420-11525	25.23
XPA1532	9420-11532	25.23
XPA1550	9420-11550	25.23
XPA1557	9420-11557	25.23
XPA1582	9420-11582	25.23
XPA1600	9420-11600	25.23
XPA1607	9420-11607	26.83
XPA1630	9420-11630	26.83
XPA1632	9420-11632	26.83
XPA1650	9420-11650	26.83
XPA1657	9420-11657	26.83
XPA1662	9420-11662	26.83


Part No.	Product No.	Sugg. List Price
XPA1675	9420-11675	\$26.83
XPA1680	9420-11680	26.83
XPA1682	9420-11682	26.83
XPA1700	9420-11700	26.83
XPA1707	9420-11707	27.63
XPA1732	9420-11732	27.63
XPA1750	9420-11750	27.63
XPA1757	9420-11757	27.63
XPA1782	9420-11782	27.63
XPA1800	9420-11800	27.63
XPA1807	9420-11807	28.64
XPA1832	9420-11832	28.64
XPA1850	9420-11850	28.64
XPA1857	9420-11857	28.64
XPA1882	9420-11882	28.64
XPA1900	9420-11900	28.64
XPA1907	9420-11907	29.84
XPA1932	9420-11932	29.84
XPA1950	9420-11950	29.84
XPA1982	9420-11982	29.84
XPA2000	9420-12000	29.84
XPA2032	9420-12032	31.45
XPA2057	9420-12057	31.45
XPA2082	9420-12082	31.45
XPA2120	9420-12120	31.45
XPA2132	9420-12132	32.65
XPA2182	9420-12182	32.65
XPA2207	9420-12207	32.65
XPA2227	9420-12227	32.65
XPA2232	9420-12232	32.65
XPA2240	9420-12240	32.65
XPA2282	9420-12282	34.04
XPA2300	9420-12300	34.04



Part No.	Product No.	Sugg. List Price
XPA2307	9420-12307	\$34.04
XPA2332	9420-12332	34.04
XPA2360	9420-12360	34.04
XPA2382	9420-12382	34.84
XPA2432	9420-12432	34.84
XPA2482	9420-12482	34.84
XPA2500	9420-12500	34.84
XPA2532	9420-12532	36.26
XPA2582	9420-12582	36.26
XPA2607	9420-12607	36.26
XPA2650	9420-12650	36.26
XPA2682	9420-12682	38.04
XPA2732	9420-12732	38.04
XPA2782	9420-12782	38.04
XPA2800	9420-12800	38.04
XPA2832	9420-12832	40.05
XPA2882	9420-12882	40.05
XPA2982	9420-12982	45.47
XPA3000	9420-13000	45.47
¹⁴ SPA3070	9420-03070	46.45
¹⁴ SPA3082	9420-03082	46.45
¹⁴ SPA3150	9420-03150	46.45
¹⁴ SPA3182	9420-03182	46.86
¹⁴ SPA3282	9420-03282	48.86
¹⁴ SPA3350	9420-03350	51.87
¹⁴ SPA3482	9420-03482	51.87
¹⁴ SPA3550	9420-03550	51.87
¹⁴ SPA3750	9420-03750	54.46
¹⁴ SPA4000	9420-04000	57.88
¹⁴ SPA4250	9420-04250	64.47
¹⁴ SPA4500	9420-04500	64.47

¹⁴Not made with Vextra construction.

Product No. Series 9421
XPB/SPB Section



Part No.	Product No.	Sugg. List Price
XPB1250	9421-11250	\$27.85
XPB1260	9421-11260	27.85
XPB1320	9421-11320	28.83
XPB1340	9421-11340	28.83
XPB1400	9421-11400	31.05
XPB1410	9421-11410	33.23
XPB1450	9421-11450	33.23
XPB1500	9421-11500	33.23
XPB1510	9421-11510	35.06
XPB1590	9421-11590	35.06
XPB1600	9421-11600	35.06
XPB1627	9421-11627	35.06
XPB1690	9421-11690	37.65
XPB1700	9421-11700	37.65

Part No.	Product No.	Sugg. List Price
XPB1800	9421-11800	\$39.24
XPB1900	9421-11900	42.27
XPB2000	9421-12000	44.67
XPB2020	9421-12020	47.12
XPB2098	9421-12098	47.12
XPB2120	9421-12120	47.12
XPB2150	9421-12150	49.87
XPB2180	9421-12180	49.87
XPB2240	9421-12240	49.87
XPB2280	9421-12280	52.46
XPB2300	9421-12300	52.46
XPB2360	9421-12360	52.46
XPB2391	9421-12391	55.47
XPB2410	9421-12410	55.47

Part No.	Product No.	Sugg. List Price
XPB2500	9421-12500	\$55.47
XPB2530	9421-12530	59.08
XPB2650	9421-12650	59.08
XPB2680	9421-12680	61.89
XPB2800	9421-12800	61.89
XPB2990	9421-12990	66.48
XPB3000	9421-13000	66.48
¹⁴ SPB3150	9421-03150	68.48
¹⁴ SPB3350	9421-03350	73.10
¹⁴ SPB3550	9421-03550	77.28
¹⁴ SPB3750	9421-03750	81.70
¹⁴ SPB3800	9421-03800	84.40
¹⁴ SPB4000	9421-04000	86.90
¹⁴ SPB4250	9421-04250	92.50



Part No.	Product No.	Sugg. List Price
¹⁴ SPB4500	9421-04500	\$98.11
¹⁴ SPB4750	9421-04750	103.53
¹⁴ SPB5000	9421-05000	109.14
¹⁴ SPB5300	9421-05300	115.54
¹⁴ SPB5600	9421-05600	122.14
¹⁴ SPB6000	9421-06000	130.56
¹⁴ SPB6300	9421-06300	138.16
¹⁴ SPB6700	9421-06700	146.17
¹⁴ SPB7100	9421-07100	154.27
¹⁴ SPB7500	9421-07500	163.79
¹⁴ SPB8000	9421-08000	174.42

¹⁴Not made with Vextra construction.


Prices Subject To Change Without Notice





Metric Power™ Belts (continued)

Product No. Series 9422
XPC/SPC Section



Part No.	Product No.	Sugg. List Price
XPC1800	9422-11800	\$64.67
XPC2000	9422-12000	68.07
XPC2120	9422-12120	71.49
XPC2240	9422-12240	75.28
XPC2360	9422-12360	79.29
XPC2500	9422-12500	83.29
XPC2650	9422-12650	88.10
XPC2800	9422-12800	92.72

Part No.	Product No.	Sugg. List Price
XPC3000	9422-13000	\$103.86
¹⁴ SPC3150	9422-03150	106.32
¹⁴ SPC3350	9422-03350	107.14
¹⁴ SPC3550	9422-03550	119.14
¹⁴ SPC3750	9422-03750	119.14
¹⁴ SPC4000	9422-04000	127.56
¹⁴ SPC4250	9422-04250	134.96
¹⁴ SPC4500	9422-04500	142.17

Part No.	Product No.	Sugg. List Price
¹⁴ SPC4750	9422-04750	\$157.20
¹⁴ SPC5000	9422-05000	157.20
¹⁴ SPC5300	9422-05300	166.19
¹⁴ SPC5600	9422-05600	175.62
¹⁴ SPC6000	9422-06000	187.42
¹⁴ SPC6300	9422-06300	189.00
¹⁴ SPC6700	9422-06700	208.24
¹⁴ SPC7100	9422-07100	220.25




Part No.	Product No.	Sugg. List Price
¹⁴ SPC7500	9422-07500	\$232.27
¹⁴ SPC8000	9422-08000	248.28
¹⁴ SPC8500	9422-08500	262.30
¹⁴ SPC9000	9422-09000	278.40
¹⁴ SPC10000	9422-01000	306.95
¹⁴ SPC10600	9422-01060	322.29

¹⁴Not made with Vextra construction.

Classical Sizes

Product No. Series 9424
10X Section



Part No.	Product No.	Sugg. List Price
10X530Li	9424-10530	\$6.72
10X540Li	9424-10540	7.10
10X670Li	9424-10670	7.19
10X710Li	9424-10710	7.48
10X725Li	9424-10725	7.48
10X730Li	9424-10730	7.48

Part No.	Product No.	Sugg. List Price
10X750Li	9424-10750	\$7.63
10X775Li	9424-10775	7.63
10X800Li	9424-10800	7.63
10X875Li	9424-10875	7.76
10X900Li	9424-10900	7.76
10X925Li	9424-10925	8.09

Part No.	Product No.	Sugg. List Price
10X950Li	9424-10950	\$8.09
10X975Li	9424-10975	8.64
10X1000Li	9424-10100	8.64
10X1016Li	9424-10101	8.73
10X1060Li	9424-10106	8.85
10X1100Li	9424-10110	8.97

Part No.	Product No.	Sugg. List Price
10X1120Li	9424-10112	\$8.97
10X1180Li	9424-10118	9.18
10X1400Li	9424-10140	10.42
10X1422Li	9424-10142	11.75
10X1750Li	9424-10175	15.04


Product No. Series 9423 & 9424
13X Section



Part No.	Product No.	Sugg. List Price
13X715Li	9424-13715	\$7.40
13X750Li	9424-13750	8.21
13X813Li	9424-13813	8.97
13X925Li	9424-13925	9.54

Part No.	Product No.	Sugg. List Price
13X975Li	9424-13975	\$9.63
13X2650Li	9424-13265	23.46
¹⁴ 13X4000Li	9423-13400	37.63

Product No. Series 9423 & 9424
17X Section



Part No.	Product No.	Sugg. List Price
17X875Li	9424-17875	\$12.63
17X1500Li	9424-17150	20.60
17X1525Li	9424-17152	21.48
17X1800Li	9424-17180	24.34
17X2160Li	9424-17216	30.33
17X2240Li	9424-17224	30.33

Part No.	Product No.	Sugg. List Price
17X2540Li	9424-17254	\$34.07
¹⁴ 17X3658Li	9423-17365	52.91
¹⁴ 17X8180Li	9423-17818	139.04
¹⁴ 17X8375Li	9423-17837	142.35
¹⁴ 17X8636Li	9423-17863	146.79

¹⁴Not made with Vextra construction.

Prices Subject To Change Without Notice





Stainless Steel Taper-Lock* Sprockets for Poly Chain® GT®2 Belts

Markets/Applications

Food & Beverage Market or where non-corrosive sprockets are needed to prevent rust.

Features/Advantages


- Cost effective alternative to Stainless Roller Chain Drives
- MPB Bore
- Taper-Lock Bushings save shaft space
- Load Closer to Bearing
- Quiet Operation
- No lubrication required
- Rim speeds of 8000 fpm

How to Describe and Order

Specify quantity required followed by the part number.

For Example:

<u>Quantity</u>	<u>Part Number</u>
4	SS 8MX-28S-12 MPB
4	SS 8MX-28S-12



Prefix Code	Pitch (mm)	Sprocket Designation and No. of Grooves	Width (mm)
SS	8MX	28 S	12
SS	8MX	30 S	21

SS is used prior to pitch to signify Stainless Steel.

To be used with PolyChain GT2 Belts.

Standard Stock Product

Product No. Series 7769

8mm Pitch Sprockets

For Belts 12mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
SS 8MX-28S-12 MPB	\$108.75	7769-9128	28	2.807	1.80	SS	MPB	$\frac{1}{2}$ - $1\frac{1}{4}$
SS 8MX-28S-12	111.93	7769-1228	28	2.807	0.90	SS	1108	$\frac{1}{2}$ - $1\frac{1}{8}$
SS 8MX-29S-12 MPB	111.12	7769-9129	29	2.907	2.00	SS	MPB	$\frac{1}{2}$ - $1\frac{1}{4}$
SS 8MX-29S-12	113.71	7769-1229	29	2.907	1.00	SS	1108	$\frac{1}{2}$ - $1\frac{1}{8}$
SS 8MX-30S-12 MPB	131.93	7769-9130	30	3.008	2.20	SS	MPB	$\frac{1}{2}$ - $1\frac{19}{16}$
SS 8MX-30S-12	132.71	7769-1230	30	3.008	1.10	SS	1108	$\frac{1}{2}$ - $1\frac{1}{8}$
SS 8MX-32S-12 MPB	138.60	7769-9132	32	3.208	2.50	SS	MPB	$\frac{1}{2}$ - 2
SS 8MX-32S-12	141.71	7769-1232	32	3.208	1.20	SS	1210	$\frac{1}{2}$ - $1\frac{1}{4}$
SS 8MX-34S-12 MPB	155.76	7769-9134	34	3.409	2.80	SS	MPB	$\frac{1}{2}$ - $2\frac{1}{8}$
SS 8MX-34S-12	146.42	7769-1234	34	3.409	1.30	SS	1610	$\frac{1}{2}$ - $1\frac{1}{16}$
SS 8MX-36S-12	168.66	7769-1236	36	3.609	1.40	SS	1610	$\frac{1}{2}$ - $1\frac{1}{16}$
SS 8MX-38S-12	176.95	7769-1238	38	3.810	1.60	SS	1610	$\frac{1}{2}$ - $1\frac{1}{16}$
SS 8MX-40S-12	228.69	7769-1240	40	4.010	1.70	SS	2012	$\frac{1}{2}$ - $2\frac{1}{8}$
SS 8MX-42S-12	236.76	7769-1242	42	4.211	2.10	SS	2012	$\frac{1}{2}$ - $2\frac{1}{8}$
SS 8MX-45S-12	266.95	7769-1245	45	4.511	2.60	SS	2012	$\frac{1}{2}$ - $2\frac{1}{8}$
SS 8MX-48S-12	271.03	7769-1248	48	4.812	3.40	SS	2012	$\frac{1}{2}$ - $2\frac{1}{8}$
SS 8MX-50S-12	308.54	7769-1250	50	5.013	3.70	SS	2012	$\frac{1}{2}$ - $2\frac{1}{8}$
SS 8MX-53S-12	317.79	7769-1253	53	5.314	4.70	SS	2012	$\frac{1}{2}$ - $2\frac{1}{8}$
SS 8MX-56S-12	352.34	7769-1256	56	5.514	5.40	SS	2012	$\frac{1}{2}$ - $2\frac{1}{8}$
SS 8MX-60S-12	376.04	7769-1260	60	6.015	6.30	SS	2012	$\frac{1}{2}$ - $2\frac{1}{8}$

*Taper-Lock is a registered trademark of Reliance Electric.

Sprockets Do Not Include Bushings • Prices Subject To Change Without Notice





Stainless Steel Taper-Lock* Sprockets for Poly Chain® GT®2 Belts (continued)

Product No. Series 7769 (continued)

8mm Pitch Sprockets

For Belts 21mm Wide

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Material	Bore or Bushing	Bore Range (In.)
SS 8MX-28S-21 MPB	\$122.27	7769-9228	28	2.807	2.30	SS	MPB	1/2 - 1 3/4
SS 8MX-28S-21	130.69	7769-2128	28	2.807	1.00	SS	1108	1/2 - 1 1/8
SS 8MX-29S-21 MPB	126.32	7769-9229	29	2.907	2.50	SS	MPB	1/2 - 1 3/4
SS 8MX-29S-21	130.28	7769-2129	29	2.907	1.15	SS	1108	1/2 - 1 1/8
SS 8MX-30S-21 MPB	150.59	7769-9230	30	3.008	2.80	SS	MPB	1/2 - 1 13/16
SS 8MX-30S-21	157.32	7769-2130	30	3.008	1.30	SS	1108	1/2 - 1 1/8
SS 8MX-32S-21 MPB	149.97	7769-9232	32	3.208	3.20	SS	MPB	1/2 - 2
SS 8MX-32S-21	157.85	7769-2132	32	3.208	1.40	SS	1210	1/2 - 1 1/4
SS 8MX-34S-21 MPB	158.88	7769-9234	34	3.409	3.60	SS	MPB	1/2 - 2 1/8
SS 8MX-34S-21	158.75	7769-2134	34	3.409	1.50	SS	1610	1/2 - 1 11/16
SS 8MX-36S-21	190.00	7769-2136	36	3.609	1.60	SS	1610	1/2 - 1 11/16
SS 8MX-38S-21	196.26	7769-2138	38	3.810	1.90	SS	1610	1/2 - 1 11/16
SS 8MX-40S-21	233.65	7769-2140	40	4.010	2.00	SS	2012	1/2 - 2 1/8
SS 8MX-42S-21	246.11	7769-2142	42	4.211	2.40	SS	2012	1/2 - 2 1/8
SS 8MX-45S-21	267.91	7769-2145	45	4.511	3.00	SS	2012	1/2 - 2 1/8
SS 8MX-48S-21	277.26	7769-2148	48	4.812	3.70	SS	2012	1/2 - 2 1/8
SS 8MX-50S-21	317.76	7769-2150	50	5.013	4.20	SS	2012	1/2 - 2 1/8
SS 8MX-53S-21	327.10	7769-2153	53	5.314	5.00	SS	2012	1/2 - 2 1/8
SS 8MX-56S-21	358.26	7769-2156	56	5.614	5.80	SS	2012	1/2 - 2 1/8
SS 8MX-60S-21	380.06	7769-2160	60	6.015	6.90	SS	2012	1/2 - 2 1/8

*Taper-Lock is a registered trademark of Reliance Electric.

Sprockets Do Not Include Bushings • Prices Subject To Change Without Notice





Stainless Steel Taper-Lock* Bushings—English Sizes

Markets/Applications

Food & Beverage market or where non-corrosive sprockets are needed to prevent rust.

Features/Advantages

- Made to Precise Tolerances
- Popular Bore Sizes Available
- Stainless Steel Construction


How to Describe and Order

Specify quantity required followed by the part number.

For Example:

Qty	Part Number
4	SS 1108 .1/2
4	SS 1610 1.1/2

SS is used to signify Stainless Steel.



Standard Stock Product

Product No. Series 7869

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
SS 1108 .1/2	\$98.05	7869-0001	1/2	0.35
SS 1108 .9/16	98.05	7869-0002	9/16	0.35
SS 1108 .5/8	98.05	7869-0003	5/8	0.35
SS 1108 .11/16	98.05	7869-0004	11/16	0.25
SS 1108 .3/4	98.05	7869-0005	3/4	0.25
SS 1108 .13/16	98.05	7869-0006	13/16	0.25
SS 1108 .7/8	98.05	7869-0007	7/8	0.25
SS 1108 .15/16	98.05	7869-0008	15/16	0.25
SS 1108 1.	98.05	7869-0009	1	0.25
SS 1108 1.1/16	98.05	7869-0010	1 1/16	0.25
SS 1108 1.1/8	98.05	7869-0011	1 1/8	0.15
SS 1210 .1/2	105.15	7869-0101	1/2	0.65
SS 1210 .9/16	105.15	7869-0102	9/16	0.65
SS 1210 .5/8	105.15	7869-0103	5/8	0.65
SS 1210 .11/16	105.15	7869-0104	11/16	0.65
SS 1210 .3/4	105.15	7869-0105	3/4	0.55
SS 1210 .13/16	105.15	7869-0106	13/16	0.55
SS 1210 .7/8	105.15	7869-0107	7/8	0.55
SS 1210 .15/16	105.15	7869-0108	15/16	0.55
SS 1210 1.	105.15	7869-0109	1	0.55
SS 1210 1.1/16	105.15	7869-0110	1 1/16	0.55
SS 1210 1.1/8	105.15	7869-0111	1 1/8	0.55
SS 1210 1.3/16	105.15	7869-0112	1 3/16	0.55
SS 1210 1.1/4	105.15	7869-0113	1 1/4	0.55
SS 1610 .1/2	120.84	7869-0201	1/2	0.95
SS 1610 .9/16	120.84	7869-0202	9/16	0.95
SS 1610 .5/8	120.84	7869-0203	5/8	0.95
SS 1610 .11/16	120.84	7869-0204	11/16	0.95
SS 1610 .3/4	120.84	7869-0205	3/4	0.95
SS 1610 .13/16	120.84	7869-0206	13/16	0.95
SS 1610 .7/8	120.84	7869-0207	7/8	0.85
SS 1610 .15/16	120.84	7869-0208	15/16	0.85
SS 1610 1.	120.84	7869-0209	1	0.85
SS 1610 1.1/16	120.84	7869-0210	1 1/16	0.85
SS 1610 1.1/8	120.84	7869-0211	1 1/8	0.75

Part No.	Sugg. List Price	Product No.	Bore (In.)	Wt. Ea. (Lbs.)
SS 1610 1.3/16	\$120.84	7869-0212	1 3/16	0.75
SS 1610 1.1/4	120.84	7869-0213	1 1/4	0.75
SS 1610 1.5/16	120.84	7869-0214	1 5/16	0.65
SS 1610 1.3/8	120.84	7869-0215	1 3/8	0.65
SS 1610 1.7/16	120.84	7869-0216	1 7/16	0.65
SS 1610 1.1/2	120.84	7869-0217	1 1/2	0.55
SS 1610 1.9/16	120.84	7869-0218	1 9/16	0.55
SS 1610 1.5/8	120.84	7869-0219	1 5/8	0.55
SS 1610 1.11/16	120.84	7869-0220	1 11/16	0.55
SS 2012 .1/2	165.88	7869-0301	1/2	1.75
SS 2012 .9/16	165.88	7869-0302	9/16	1.75
SS 2012 .5/8	165.88	7869-0303	5/8	1.75
SS 2012 .11/16	165.88	7869-0304	11/16	1.75
SS 2012 .3/4	165.88	7869-0305	3/4	1.75
SS 2012 .13/16	165.88	7869-0306	13/16	1.75
SS 2012 .7/8	165.88	7869-0307	7/8	1.65
SS 2012 .15/16	165.88	7869-0308	15/16	1.65
SS 2012 1.	165.88	7869-0309	1	1.65
SS 2012 1.1/16	165.88	7869-0310	1 1/16	1.65
SS 2012 1.1/8	165.88	7869-0311	1 1/8	1.55
SS 2012 1.3/16	165.88	7869-0312	1 3/16	1.55
SS 2012 1.1/4	165.88	7869-0313	1 1/4	1.55
SS 2012 1.5/16	165.88	7869-0314	1 5/16	1.45
SS 2012 1.3/8	165.88	7869-0315	1 3/8	1.35
SS 2012 1.7/16	165.88	7869-0316	1 7/16	1.25
SS 2012 1.1/2	165.88	7869-0317	1 1/2	1.25
SS 2012 1.9/16	165.88	7869-0318	1 9/16	1.25
SS 2012 1.5/8	165.88	7869-0319	1 5/8	1.25
SS 2012 1.11/16	165.88	7869-0320	1 11/16	1.15
SS 2012 1.3/4	165.88	7869-0321	1 3/4	1.05
SS 2012 1.7/8	165.88	7869-0322	1 7/8	1.05
SS 2012 1.7/8	165.88	7869-0323	1 7/8	0.95
SS 2012 1.15/16	165.88	7869-0324	1 15/16	0.95
SS 2012 2.	165.88	7869-0325	2	0.95
SS 2012 2.1/8	165.88	7869-0326	2 1/8	0.95

*Taper-Lock is a registered trademark of Reliance Electric.

Sprockets Do Not Include Bushings • Prices Subject To Change Without Notice





PowerGrip® GT®2 Sprocket Aluminum Bar Stock

Markets/Applications

- Data Storage
- Hand Power Tools
- Postage Handling
- DC Stepper/Servo
- Food Processors
- Centrifuges
- Money Handling
- Ticket Dispensers
- Fax Machines
- Vacuum Cleaners
- Printers
- ATM's
- Medical
- Sewing
- Plotters
- Copiers
- Robotics

Markets/Applications (continued)

- Linear
- Vending

Features/Advantages

- Quick Sample Sprockets
- Prototypes

How to Describe and Order

Specify quantity required followed by the part number.

For Example:

Quantity	Part Number
2	2MR-12S-PS-2A
3	3MR-19S-PS-5A

Additional sizes may be available on a Made-To-Order basis. Check with Customer Service.

Bar stock must be ordered in lengths noted. Gates will not cut.



Product No. Series 7890

2mm Pitch Sprocket Bar Stock — Aluminum

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Length (In.)	Wt. Ea. (Lbs.)	Material
2MR-12S-PS-2A	\$41.97	7890-2122	12	0.301	2	0.03	AL
2MR-13S-PS-2A	43.02	7890-2132	13	0.326	2	0.04	AL
2MR-14S-PS-3A	49.09	7890-2143	14	0.351	3	0.04	AL
2MR-15S-PS-3A	50.45	7890-2153	15	0.376	3	0.05	AL
2MR-16S-PS-3A	52.15	7890-2163	16	0.401	3	0.06	AL
2MR-17S-PS-3A	53.42	7890-2173	17	0.426	3	0.07	AL
2MR-18S-PS-3A	54.64	7890-2183	18	0.451	3	0.08	AL
2MR-19S-PS-3A	55.87	7890-2193	19	0.476	3	0.08	AL
2MR-20S-PS-4A	57.97	7890-2204	20	0.501	4	0.08	AL
2MR-21S-PS-4A	61.38	7890-2214	21	0.526	4	0.09	AL
2MR-22S-PS-4A	64.79	7890-2224	22	0.551	4	0.10	AL
2MR-24S-PS-5A	70.64	7890-2245	24	0.602	5	0.14	AL
2MR-26S-PS-5A	76.42	7890-2265	26	0.652	5	0.18	AL
2MR-28S-PS-5A	82.27	7890-2285	28	0.702	5	0.23	AL
2MR-30S-PS-6A	91.19	7890-2306	30	0.752	6	0.28	AL
2MR-32S-PS-6A	97.09	7890-2326	32	0.802	6	0.32	AL
2MR-36S-PS-6A	110.47	7890-2366	36	0.902	6	0.44	AL
2MR-40S-PS-7A	126.08	7890-2407	40	1.003	7	0.56	AL
2MR-45S-PS-7A	146.19	7890-2457	45	1.128	7	0.85	AL
2MR-50S-PS-7A	169.31	7890-2507	50	1.253	7	1.25	AL
2MR-56S-PS-7A	203.41	7890-2567	56	1.404	7	1.48	AL
2MR-62S-PS-8A	224.57	7890-2628	62	1.554	8	1.56	AL
2MR-68S-PS-8A	248.31	7890-2688	68	1.704	8	1.80	AL
2MR-74S-PS-8A	269.55	7890-2748	74	1.855	8	2.27	AL
2MR-80S-PS-8A	287.43	7890-2808	80	2.005	8	2.50	AL

Sprockets Do Not Include Bushings • Prices Subject To Change Without Notice





PowerGrip® GT®2 Sprocket Bar Stock (continued)

Product No. Series 7890 (continued)

3mm Pitch Sprocket Bar Stock — Aluminum (continued)

Part No.	Suggested List Price	Product No.	No. of Grooves	Pitch Dia. (In.)	Wt. Ea. (Lbs.)	Length (In.)	Material
3MR-16S-PS-5A	\$100.81	7890-3165	16	0.602	5	0.14	AL
3MR-17S-PS-5A	102.91	7890-3175	17	0.639	5	0.16	AL
3MR-18S-PS-5A	105.01	7890-3185	18	0.677	5	0.18	AL
3MR-19S-PS-5A	107.19	7890-3195	19	0.714	5	0.20	AL
3MR-20S-PS-6A	127.30	7890-3206	20	0.752	6	0.26	AL
3MR-21S-PS-6A	130.67	7890-3216	21	0.790	6	0.28	AL
3MR-22S-PS-6A	134.08	7890-3226	22	0.827	6	0.31	AL
3MR-24S-PS-6A	140.81	7890-3246	24	0.902	6	0.38	AL
3MR-26S-PS-6A	145.40	7890-3266	26	0.978	6	0.44	AL
3MR-28S-PS-6A	150.47	7890-3286	28	1.053	6	0.52	AL
3MR-30S-PS-7A	178.14	7890-3307	30	1.128	7	0.66	AL
3MR-32S-PS-7A	184.04	7890-3327	32	1.203	7	0.75	AL
3MR-34S-PS-7A	189.90	7890-3347	34	1.278	7	0.88	AL
3MR-36S-PS-8A	212.20	7890-3368	36	1.353	8	1.00	AL
3MR-38S-PS-8A	217.22	7890-3388	38	1.429	8	1.25	AL
3MR-40S-PS-8A	223.08	7890-3408	40	1.504	8	1.55	AL
3MR-45S-PS-8A	241.14	7890-3458	45	1.692	8	1.85	AL
3MR-50S-PS-8A	264.70	7890-3508	50	1.880	8	2.20	AL
3MR-56S-PS-8A	301.77	7890-3568	56	2.105	8	2.75	AL
3MR-62S-PS-8A	349.60	7890-3628	62	2.331	8	3.25	AL
3MR-68S-PS-8A	410.89	7890-3688	68	2.557	8	4.00	AL
3MR-74S-PS-8A	458.71	7890-3748	74	2.782	8	5.00	AL
3MR-80S-PS-8A	478.16	7890-3808	80	3.008	8	5.58	AL

Sprockets Do Not Include Bushings • Prices Subject To Change Without Notice





Flanges for PowerGrip® GT®2 Sprocket Aluminum Bar Stock

Markets/Applications

- Data Storage
- Hand Power Tools
- Postage Handling
- DC Stepper/Servo
- Food Processors
- Centrifuges
- Money Handling
- Ticket Dispensers
- Fax Machines
- Vacuum Cleaners
- Printers
- ATM's
- Medical
- Sewing
- Plotters
- Copiers

Markets/Applications (continued)

- Robotics
- Linear
- Vending

Features/Advantages

- Quick Sample Sprockets
- Prototypes

How to Describe and Order

Specify quantity required followed by the part number.

For Example:

<u>Quantity</u>	<u>Part Number</u>
2	10M2-FA
3	14M2-FA



Product No. Series 7891

2mm Pitch Flanges for Bar Stock — Aluminum

Part No.	Suggested List Price	Product No.	Wt. Ea. (Lbs.)
10M2-FA	\$3.54	7891-0102	0.01
11M2-FA	3.63	7891-0112	0.01
12M2-FA	3.72	7891-0122	0.01
13M2-FA	3.80	7891-0132	0.01
14M2-FA	3.89	7891-0142	0.01
15M2-FA	3.98	7891-0152	0.01
16M2-FA	4.07	7891-0162	0.01
18M2-FA	4.15	7891-0182	0.01
20M2-FA	4.24	7891-0202	0.01
21M2-FA	4.33	7891-0212	0.01
22M2-FA	4.42	7891-0222	0.01
24M2-FA	4.50	7891-0242	0.01
25M2-FA	4.59	7891-0252	0.01
26M2-FA	4.68	7891-0262	0.01
28M2-FA	4.77	7891-0282	0.01
30M2-FA	4.85	7891-0302	0.01
32M2-FA	4.94	7891-0322	0.01
33M2-FA	5.03	7891-0332	0.01
34M2-FA	5.11	7891-0342	0.01
35M2-FA	5.20	7891-0352	0.01
36M2-FA	5.29	7891-0362	0.01
38M2-FA	5.38	7891-0382	0.01
40M2-FA	5.46	7891-0402	0.01
42M2-FA	5.55	7891-0422	0.01
44M2-FA	5.64	7891-0442	0.01
45M2-FA	5.29	7891-0452	0.01
48M2-FA	5.38	7891-0482	0.01
50M2-FA	5.46	7891-0502	0.01
54M2-FA	5.55	7891-0542	0.01
60M2-FA	5.64	7891-0602	0.01

3mm Pitch Flanges for Bar Stock — Aluminum

Part No.	Suggested List Price	Product No.	Wt. Ea. (Lbs.)
15M3-FA	\$4.24	7891-0153	0.01
16M3-FA	4.33	7891-0163	0.01
17M3-FA	4.42	7891-0173	0.01
18M3-FA	4.50	7891-0183	0.01
19M3-FA	4.68	7891-0193	0.01
20M3-FA	4.77	7891-0203	0.01
22M3-FA	4.85	7891-0223	0.01
24M3-FA	5.03	7891-0243	0.01
25M3-FA	5.16	7891-0253	0.01
26M3-FA	5.29	7891-0263	0.01
28M3-FA	4.77	7891-0283	0.01
30M3-FA	4.85	7891-0303	0.01
32M3-FA	5.03	7891-0323	0.01
34M3-FA	5.16	7891-0343	0.01
36M3-FA	5.29	7891-0363	0.01
38M3-FA	5.42	7891-0383	0.01
40M3-FA	5.60	7891-0403	0.01
44M3-FA	5.77	7891-0443	0.01

Sprockets Do Not Include Bushings • Prices Subject To Change Without Notice





PowerGrip® GT®2 Twin-Power — 3MR & 5MR Belts

Markets/Applications

- Industrial and Original Equipment serpentine applications requiring rotation reversal in driven shafts.
- Data Storage
- Hand Power Tools
- Postage Handling
- Food Processors
- Centrifuges
- Money Handling
- Ticket Dispensers
- Fax Machines
- Vacuum Cleaners
- Printers
- ATM's
- Medical
- Sewing
- Plotters
- Copiers
- Robotics
- Linear
- Vending

Features/Advantages

- Belt Capacity is equal to standard Single Sided PowerGrip GT 2 Belts
- 100% Load can be Transmitted by either Side of Belt
- Compact Drive
- Light Weight
- Shaft Synchronization or Rotation Reversal



How to Describe and Order

Specify quantity required followed by the part number.

For Example:

Quantity	Part Number
2	TP3MR-357-06
3	TP5MR-1450-09

Additional sizes may be available on a Made-To-Order basis. Check with Customer Service.
 For design assistance call Gates Product Application Help Line (303) 744-5800.

2MR & 3MR Aluminum Barstock can be used with 2MR & 3MR PowerGrip GT2 Twin Power Belts.

Made-To-Order Product — Minimum order quantity may apply.

Product No. Series

3MR — Twin Power Belts

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-357	357	14.0551	119
TP3MR-360	360	14.1732	120
TP3MR-363	363	14.2913	121
TP3MR-366	366	14.4094	122
TP3MR-369	369	14.5275	123
TP3MR-372	372	14.6456	124
TP3MR-375	375	14.7638	125
TP3MR-381	381	15.0000	127
TP3MR-384	384	15.1181	128
TP3MR-387	387	15.2362	129
TP3MR-390	390	15.3543	130
TP3MR-393	393	15.4724	131
TP3MR-396	396	15.5905	132
TP3MR-399	399	15.7086	133
TP3MR-405	405	15.9449	135
TP3MR-411	411	16.1811	137
TP3MR-414	414	16.2992	138
TP3MR-417	417	16.4173	139
TP3MR-420	420	16.5354	140
TP3MR-426	426	16.7716	142

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-432	432	17.0078	144
TP3MR-435	435	17.1260	145
TP3MR-438	438	17.2441	146
TP3MR-444	444	17.4803	148
TP3MR-447	447	17.5984	149
TP3MR-459	459	18.0708	153
TP3MR-465	465	18.3071	155
TP3MR-468	468	18.4252	156
TP3MR-471	471	18.5433	157
TP3MR-474	474	18.6614	158
TP3MR-480	480	18.8976	160
TP3MR-483	483	19.0157	161
TP3MR-486	486	19.1338	162
TP3MR-489	489	19.2519	163
TP3MR-492	492	19.3700	164
TP3MR-501	501	19.7244	167
TP3MR-504	504	19.8425	168
TP3MR-510	510	20.0787	170
TP3MR-513	513	20.1968	171
TP3MR-519	519	20.4330	173

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-525	525	20.6693	175
TP3MR-528	528	20.7874	176
TP3MR-531	531	20.9055	177
TP3MR-537	537	21.1417	179
TP3MR-552	552	21.7322	184
TP3MR-558	558	21.9685	186
TP3MR-564	564	22.2047	188
TP3MR-570	570	22.4409	190
TP3MR-576	576	22.6771	192
TP3MR-585	585	23.0315	195
TP3MR-591	591	23.2677	197
TP3MR-597	597	23.5039	199
TP3MR-600	600	23.6220	200
TP3MR-606	606	23.8582	202
TP3MR-609	609	23.9763	203
TP3MR-612	612	24.0944	204
TP3MR-627	627	24.6850	209
TP3MR-630	630	24.8031	210
TP3MR-633	633	24.9212	211
TP3MR-639	639	25.1574	213

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Twin-Power — 3MR & 5MR Belts (continued)

Product No. Series (continued)

Made-To-Order Product — Minimum order quantity may apply.

3MR — Twin Power Belts (continued)

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-735	735	28.9370	245
TP3MR-738	738	29.0551	246
TP3MR-750	750	29.5275	250
TP3MR-753	753	29.6456	251
TP3MR-786	786	30.9448	262
TP3MR-795	795	31.2992	265
TP3MR-822	822	32.3621	274
TP3MR-837	837	32.9527	279
TP3MR-840	840	33.0708	280
TP3MR-843	843	33.1889	281
TP3MR-873	873	34.3700	291
TP3MR-882	882	34.7243	294
TP3MR-891	891	35.0787	297

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-900	900	35.4330	300
TP3MR-915	915	36.0236	305
TP3MR-945	945	37.2047	315
TP3MR-951	951	37.4409	317
TP3MR-981	981	38.6220	327
TP3MR-1002	1002	39.4487	334
TP3MR-1026	1026	40.3936	342
TP3MR-1035	1035	40.7480	345
TP3MR-1050	1050	41.3385	350
TP3MR-1056	1056	41.5747	352
TP3MR-1062	1062	41.8109	354
TP3MR-1080	1080	42.5196	360
TP3MR-1125	1125	44.2913	375

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP3MR-1155	1155	45.4724	385
TP3MR-1191	1191	46.8897	397
TP3MR-1263	1263	49.7243	421
TP3MR-1272	1272	50.0786	424
TP3MR-1335	1335	52.5590	445
TP3MR-1500	1500	59.0550	500
TP3MR-1512	1512	59.5274	504
TP3MR-1536	1536	60.4723	512
TP3MR-1587	1587	62.4802	529
TP3MR-1956	1956	77.0077	652
TP3MR-2004	2004	78.8975	668
TP3MR-2061	2061	81.1416	687

5MR — Twin Power Belts

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP5MR-700	700	27.5590	140
TP5MR-710	710	27.9527	142
TP5MR-740	740	29.1338	148
TP5MR-745	745	29.3307	149
TP5MR-750	750	29.5275	150
TP5MR-765	765	30.1181	153
TP5MR-790	790	31.1023	158
TP5MR-800	800	31.4960	160
TP5MR-815	815	32.0866	163
TP5MR-830	830	32.6771	166
TP5MR-835	835	32.8740	167
TP5MR-850	850	33.4645	170
TP5MR-870	870	34.2519	174
TP5MR-890	890	35.0393	178
TP5MR-900	900	35.4330	180
TP5MR-925	925	36.4173	185
TP5MR-950	950	37.4015	190
TP5MR-975	975	38.3858	195

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP5MR-985	985	38.7795	197
TP5MR-1000	1000	39.3700	200
TP5MR-1050	1050	41.3385	210
TP5MR-1115	1115	43.9087	223
TP5MR-1125	1125	44.2913	225
TP5MR-1150	1150	45.2755	230
TP5MR-1195	1195	47.0472	239
TP5MR-1250	1250	49.2125	250
TP5MR-1270	1270	49.9999	254
TP5MR-1295	1295	50.9842	259
TP5MR-1300	1300	51.1810	260
TP5MR-1375	1375	54.1338	275
TP5MR-1420	1420	55.9054	284
TP5MR-1450	1450	57.0865	290
TP5MR-1575	1575	62.0078	315
TP5MR-1595	1595	62.7952	319
TP5MR-1600	1600	62.9920	320
TP5MR-1635	1635	64.3700	327

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. Teeth
TP5MR-1690	1690	66.5353	338
TP5MR-1720	1720	67.7164	344
TP5MR-1755	1755	69.0944	351
TP5MR-1790	1790	70.4723	358
TP5MR-1800	1800	70.8660	360
TP5MR-1895	1895	74.6062	379
TP5MR-1945	1945	76.5747	389
TP5MR-1980	1980	77.9526	396
TP5MR-2000	2000	78.7400	400
TP5MR-2110	2110	83.0707	422
TP5MR-2250	2250	88.5825	450
TP5MR-2525	2525	99.4093	505
TP5MR-2760	2760	108.6612	552
TP5MR-3120	3120	122.8344	624
TP5MR-3170	3170	124.8029	634
TP5MR-3200	3200	125.9840	640
TP5MR-3430	3430	135.0391	686
TP5MR-3800	3800	149.6060	760

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts

Markets/Applications

- Data Storage
- Machine Tool
- Hand Power Tools
- Postage Handling
- DC Stepper/Servo
- Food Processors
- Printers
- Centrifuges
- Money Handling
- Medical Diagnostic
- Sewing Machines
- ATM
- Ticket Dispensers
- Plotters
- Copiers
- Fax Machines
- Robotics
- Linear
- Vending
- Vacuum Cleaners

Features/Advantages (continued)

- Tooth Jump Resistance: Greater than MXL-HTD
- Noise: Far less than HTD
- Positioning : Half (or more) the positioning error of MXL and HTD
- No Lubrication
- Improved Registration
- Corrosion Resistance
- Clean Operation
- Minimal Elongation



How to Describe and Order

Specify the order quantity, followed by the part number.

For Example:

<u>Quantity</u>	<u>Part Number</u>
2	2MR-100-04

Additional sizes may be available on a Made to Order basis. Check with Customer Service for availability.

For design assistance call Gates Product Application Help Line (303) 744-5800.

Belt Pitch (mm)	Belt Pitch Length (mm)	Belt Width (mm)
2MR	100	04
3MR	165	06

Features/Advantages

- Compact
- Light Weight
- Durability
- Less Width Required vs. HTD

NOTE: Numbers in *bold italics* are new.

Product No. Series 9390

2mm Pitch — 4mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-100-04	\$3.19	9390-0050	50	3.94	.01
2MR-112-04	3.19	9390-0056	56	4.41	.01
2MR-124-04	3.19	9390-0062	62	4.88	.01
2MR-126-04	3.19	9390-0063	63	4.96	.01
2MR-134-04	3.29	9390-0067	67	5.28	.01
2MR-136-04	3.29	9390-0068	68	5.35	.01
2MR-140-04	3.29	9390-0070	70	5.51	.01
2MR-152-04	3.29	9390-0076	76	5.98	.01
2MR-158-04	3.43	9390-0079	79	6.22	.01
2MR-160-04	3.43	9390-0080	80	6.30	.01
2MR-164-04	3.43	9390-0082	82	6.46	.01
2MR-166-04	3.43	9390-0083	83	6.54	.01
2MR-168-04	3.43	9390-0084	84	6.61	.01
2MR-172-04	3.43	9390-0086	86	6.77	.01
2MR-180-04	3.54	9390-0090	90	7.09	.01
2MR-186-04	3.54	9390-0093	93	7.32	.01
2MR-192-04	3.54	9390-0096	96	7.56	.01
2MR-200-04	3.54	9390-0100	100	7.87	.01
2MR-202-04	3.54	9390-0101	101	7.95	.01
2MR-210-04	3.64	9390-0105	105	8.27	.01
2MR-212-04	3.64	9390-0106	106	8.35	.01
2MR-216-04	3.64	9390-0108	108	8.50	.01
2MR-220-04	3.64	9390-0110	110	8.66	.01
2MR-232-04	3.77	9390-0166	116	9.13	.01
2MR-236-04	3.77	9390-0118	118	9.29	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-240-04	\$3.77	9390-0120	120	9.45	.01
2MR-250-04	3.77	9390-0125	125	9.84	.01
2MR-252-04	3.77	9390-0126	126	9.92	.01
2MR-258-04	3.90	9390-0129	129	10.16	.01
2MR-278-04	3.90	9390-0139	139	10.94	.01
2MR-280-04	3.90	9390-0140	140	11.02	.01
2MR-300-04	4.01	9390-0150	150	11.81	.01
2MR-320-04	4.14	9390-0160	160	12.60	.01
2MR-322-04	4.14	9390-0161	161	12.68	.01
2MR-332-04	4.14	9390-0166	166	13.07	.01
2MR-342-04	4.26	9390-0171	171	13.46	.01
2MR-346-04	4.26	9390-0173	173	13.62	.01
2MR-350-04	4.26	9390-0175	175	13.78	.01
2MR-364-04	4.36	9390-0182	182	14.33	.01
2MR-370-04	4.36	9390-0185	185	14.57	.01
2MR-380-04	4.36	9390-0190	190	14.96	.01
2MR-386-04	4.49	9390-0193	193	15.20	.01
2MR-400-04	4.49	9390-0200	200	15.75	.01
2MR-406-04	4.49	9390-0203	203	15.98	.01
2MR-420-04	4.61	9390-0210	210	16.54	.01
2MR-456-04	4.73	9390-0228	228	17.95	.01
2MR-470-04	4.86	9390-0235	235	18.50	.01
2MR-474-04	4.86	9390-0237	237	18.66	.01
2MR-488-04	4.97	9390-0244	244	19.21	.01
2MR-504-04	4.97	9390-0252	252	19.84	.01

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts (continued)

Product No. Series 9390 (continued)

2mm Pitch — 4mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-528-04	\$5.07	9390-0264	264	20.79	.01
2MR-552-04	5.21	9390-0276	276	21.73	.01
2MR-576-04	5.31	9390-0288	288	22.68	.01
2MR-600-04	5.45	9390-0300	300	23.62	.01
2MR-640-04	5.69	9390-0320	320	25.20	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-696-04	\$5.92	9390-0348	348	27.40	.01
2MR-744-04	6.16	9390-0372	372	29.29	.01
2MR-848-04	6.64	9390-0424	424	33.39	.01
2MR-1164-04	8.08	9390-0582	582	45.83	.02

2mm Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-100-06	\$4.57	9390-1050	50	3.94	.01
2MR-112-06	4.57	9390-1056	56	4.41	.01
2MR-124-06	4.57	9390-1062	62	4.88	.01
2MR-126-06	4.57	9390-1063	63	4.96	.01
2MR-134-06	4.73	9390-1067	67	5.28	.01
2MR-136-06	4.73	9390-1068	68	5.35	.01
2MR-140-06	4.73	9390-1070	70	5.51	.01
2MR-152-06	4.73	9390-1076	76	5.98	.01
2MR-158-06	4.85	9390-1079	79	6.22	.01
2MR-160-06	4.85	9390-1080	80	6.30	.01
2MR-164-06	4.85	9390-1082	82	6.46	.01
2MR-166-06	4.85	9390-1083	83	6.54	.01
2MR-168-06	4.85	9390-1084	84	6.61	.01
2MR-172-06	4.85	9390-1086	86	6.77	.01
2MR-180-06	4.99	9390-1090	90	7.09	.01
2MR-186-06	4.99	9390-1093	93	7.32	.01
2MR-192-06	4.99	9390-1096	96	7.56	.01
2MR-200-06	4.99	9390-1100	100	7.87	.01
2MR-202-06	4.99	9390-1101	101	7.95	.01
2MR-210-06	5.11	9390-1105	105	8.27	.01
2MR-212-06	5.11	9390-1106	106	8.35	.01
2MR-216-06	5.11	9390-1108	108	8.50	.01
2MR-220-06	5.11	9390-1110	110	8.66	.01
2MR-232-06	5.26	9390-1116	116	9.13	.01
2MR-236-06	5.26	9390-1118	118	9.29	.01
2MR-240-06	5.26	9390-1120	120	9.45	.01
2MR-250-06	5.26	9390-1125	125	9.84	.01
2MR-252-06	5.26	9390-1126	126	9.92	.01
2MR-258-06	5.45	9390-1129	129	10.16	.01
2MR-278-06	5.45	9390-1139	139	10.94	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-280-06	\$5.45	9390-1140	140	11.02	.01
2MR-300-06	5.59	9390-1150	150	11.81	.01
2MR-320-06	5.71	9390-1160	160	12.60	.01
2MR-322-06	5.71	9390-1161	161	12.68	.01
2MR-332-06	5.71	9390-1166	166	13.07	.01
2MR-342-06	5.85	9390-1171	171	13.46	.01
2MR-346-06	5.85	9390-1173	173	13.62	.01
2MR-350-06	5.85	9390-1175	175	13.78	.01
2MR-364-06	6.05	9390-1182	182	14.33	.01
2MR-370-06	6.05	9390-1185	185	14.57	.01
2MR-380-06	6.05	9390-1190	190	14.96	.01
2MR-386-06	6.17	9390-1193	193	15.20	.01
2MR-400-06	6.17	9390-1200	200	15.75	.01
2MR-406-06	6.17	9390-1203	203	15.98	.01
2MR-420-06	6.30	9390-1210	210	16.54	.01
2MR-456-06	6.44	9390-1228	228	17.95	.01
2MR-470-06	6.56	9390-1235	235	18.50	.01
2MR-474-06	6.56	9390-1237	237	18.66	.01
2MR-488-06	6.77	9390-1244	244	19.21	.01
2MR-504-06	6.77	9390-1252	252	19.84	.01
2MR-528-06	6.91	9390-1264	264	20.79	.01
2MR-552-06	7.04	9390-1276	276	21.73	.01
2MR-576-06	7.18	9390-1288	288	22.68	.01
2MR-600-06	7.37	9390-1300	300	23.62	.01
2MR-640-06	7.64	9390-1320	320	25.20	.01
2MR-696-06	7.90	9390-1348	348	27.40	.01
2MR-744-06	8.17	9390-1372	372	29.29	.01
2MR-848-06	8.78	9390-1424	424	33.39	.01
2MR-1164-06	10.56	9390-1582	582	45.83	.02

2mm Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-100-09	\$6.00	9390-2050	50	3.94	.01
2MR-112-09	6.00	9390-2056	56	4.41	.01
2MR-126-09	6.00	9390-2063	63	4.96	.01
2MR-124-09	6.00	9390-2062	62	4.88	.01
2MR-134-09	6.17	9390-2067	67	5.28	.01
2MR-136-09	6.17	9390-2068	68	5.35	.01
2MR-140-09	6.17	9390-2070	70	5.51	.01
2MR-152-09	6.17	9390-2076	76	5.98	.01
2MR-158-09	6.38	9390-2079	79	6.22	.01
2MR-160-09	6.38	9390-2080	80	6.30	.01
2MR-164-09	6.38	9390-2082	82	6.46	.01
2MR-166-09	6.38	9390-2083	83	6.54	.01
2MR-168-09	6.38	9390-2084	84	6.61	.01
2MR-172-09	6.38	9390-2086	86	6.77	.01
2MR-180-09	6.65	9390-2090	90	7.09	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-186-09	\$6.65	9390-2093	93	7.32	.01
2MR-192-09	6.65	9390-2096	96	7.56	.01
2MR-200-09	6.65	9390-2100	100	7.87	.01
2MR-202-09	6.65	9390-2101	101	7.95	.01
2MR-210-09	6.82	9390-2105	105	8.27	.01
2MR-212-09	6.82	9390-2106	106	8.35	.01
2MR-216-09	6.82	9390-2108	108	8.50	.01
2MR-220-09	6.82	9390-2110	110	8.66	.01
2MR-232-09	7.04	9390-2116	116	9.13	.01
2MR-236-09	7.04	9390-2118	118	9.29	.01
2MR-240-09	7.04	9390-2120	120	9.45	.01
2MR-250-09	7.04	9390-2125	125	9.84	.01
2MR-252-09	7.04	9390-2126	126	9.92	.01
2MR-258-09	7.25	9390-2129	129	10.16	.01
2MR-278-09	7.25	9390-2139	139	10.94	.01

Prices Subject To Change Without Notice





PowerGrip® GT®2 Belts (continued)

Product No. Series 9390 (continued)

2mm Pitch — 9mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-280-09	\$7.25	9390-2140	140	11.02	.01
2MR-300-09	7.51	9390-2150	150	11.81	.01
2MR-320-09	7.64	9390-2160	160	12.60	.01
2MR-322-09	7.64	9390-2161	161	12.68	.01
2MR-332-09	7.64	9390-2166	166	13.07	.02
2MR-342-09	7.90	9390-2171	171	13.46	.02
2MR-346-09	7.90	9390-2173	173	13.62	.01
2MR-350-09	7.90	9390-2175	175	13.78	.01
2MR-364-09	8.09	9390-2182	182	14.33	.01
2MR-370-09	8.09	9390-2185	185	14.57	.01
2MR-380-09	8.09	9390-2190	190	14.96	.01
2MR-386-09	8.31	9390-2193	193	15.20	.01
2MR-400-09	8.31	9390-2200	200	15.75	.01
2MR-406-09	8.31	9390-2203	203	15.98	.01
2MR-420-09	8.57	9390-2210	210	16.54	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-456-09	\$8.69	9390-2228	228	17.95	.01
2MR-470-09	8.96	9390-2235	235	18.50	.01
2MR-474-09	8.96	9390-2237	237	18.66	.01
2MR-488-09	9.17	9390-2244	244	19.21	.01
2MR-504-09	9.17	9390-2252	252	19.84	.01
2MR-528-09	9.36	9390-2264	264	20.79	.01
2MR-552-09	9.58	9390-2276	276	21.73	.02
2MR-576-09	9.84	9390-2288	288	22.68	.02
2MR-600-09	9.96	9390-2300	300	23.62	.02
2MR-640-09	10.44	9390-2320	320	25.20	.02
2MR-696-09	10.90	9390-2348	348	27.40	.02
2MR-744-09	11.29	9390-2372	372	29.29	.02
2MR-848-09	12.15	9390-2424	424	33.39	.02
2MR-1164-09	14.69	9390-2582	582	45.83	.02

3mm Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-99-06	\$5.25	9390-3033	33	3.90	.01
3MR-111-06	5.25	9390-3037	37	4.37	.01
3MR-123-06	5.25	9390-3041	41	4.84	.01
3MR-129-06	5.44	9390-3043	43	5.08	.01
3MR-159-06	5.58	9390-3053	53	6.26	.01
3MR-162-06	5.58	9390-3054	54	6.38	.01
3MR-165-06	5.58	9390-3055	55	6.50	.01
3MR-180-06	5.74	9390-3060	60	7.09	.01
3MR-183-06	5.74	9390-3061	61	7.20	.01
3MR-189-06	5.74	9390-3063	63	7.44	.01
3MR-201-06	5.74	9390-3067	67	7.91	.01
3MR-219-06	5.88	9390-3073	73	8.62	.01
3MR-225-06	5.88	9390-3075	75	8.86	.01
3MR-240-06	6.04	9390-3080	80	9.45	.01
3MR-243-06	6.04	9390-3081	81	9.57	.01
3MR-255-06	6.27	9390-3085	85	10.04	.01
3MR-267-06	6.27	9390-3089	89	10.51	.01
3MR-282-06	6.43	9390-3094	94	11.10	.01
3MR-291-06	6.43	9390-3097	97	11.46	.01
3MR-300-06	6.43	9390-3100	100	11.81	.01
3MR-339-06	6.73	9390-3113	113	13.35	.01
3MR-348-06	6.73	9390-3116	116	13.70	.01
3MR-357-06	6.96	9390-3119	119	14.06	.01
3MR-360-06	6.96	9390-3120	120	14.17	.01
3MR-375-06	6.96	9390-3125	125	14.76	.01
3MR-393-06	7.10	9390-3131	131	15.47	.01
3MR-414-06	7.24	9390-3138	138	16.30	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-420-06	\$7.24	9390-3140	140	16.54	.02
3MR-447-06	7.40	9390-3149	149	17.60	.02
3MR-450-06	7.40	9390-3150	150	17.72	.02
3MR-474-06	7.54	9390-3158	158	18.66	.02
3MR-480-06	7.54	9390-3160	160	18.90	.02
3MR-483-06	7.79	9390-3161	161	19.02	.02
3MR-489-06	7.79	9390-3163	163	19.25	.02
3MR-504-06	7.79	9390-3168	168	19.84	.02
3MR-537-06	8.09	9390-3179	179	21.14	.02
3MR-552-06	8.09	9390-3184	184	21.73	.02
3MR-564-06	8.25	9390-3188	188	22.20	.02
3MR-600-06	8.48	9390-3200	200	23.62	.02
3MR-630-06	8.64	9390-3210	210	24.80	.02
3MR-684-06	8.94	9390-3228	228	26.93	.03
3MR-696-06	9.09	9390-3232	232	27.40	.03
3MR-735-06	9.31	9390-3245	245	28.94	.03
3MR-750-06	9.39	9390-3250	250	29.53	.03
3MR-786-06	9.61	9390-3262	262	30.94	.03
3MR-840-06	10.10	9390-3280	280	33.07	.03
3MR-945-06	10.77	9390-3315	315	37.20	.03
3MR-1050-06	11.46	9390-3350	350	41.34	.04
3MR-1080-06	11.62	9390-3360	360	42.52	.04
3MR-1272-06	12.98	9390-3424	424	50.08	.04
3MR-1536-06	15.56	9390-3512	512	60.47	.04
3MR-1587-06	16.06	9390-3529	529	62.48	.04
3MR-2061-06	20.84	9390-3687	687	81.14	.05

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts (continued)

Product No. Series 9390 (continued)

3mm Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
<i>3MR-99-09</i>	<i>\$6.90</i>	<i>9390-4033</i>	<i>33</i>	<i>3.90</i>	<i>.01</i>
<i>3MR-111-09</i>	<i>6.90</i>	<i>9390-4037</i>	<i>37</i>	<i>4.37</i>	<i>.01</i>
<i>3MR-123-09</i>	<i>6.90</i>	<i>9390-4041</i>	<i>41</i>	<i>4.84</i>	<i>.01</i>
<i>3MR-129-09</i>	<i>7.10</i>	<i>9390-4043</i>	<i>43</i>	<i>5.08</i>	<i>.01</i>
<i>3MR-159-09</i>	<i>7.34</i>	<i>9390-4053</i>	<i>53</i>	<i>6.26</i>	<i>.01</i>
<i>3MR-162-09</i>	<i>7.34</i>	<i>9390-4054</i>	<i>54</i>	<i>6.38</i>	<i>.01</i>
<i>3MR-165-09</i>	<i>7.34</i>	<i>9390-4055</i>	<i>55</i>	<i>6.50</i>	<i>.01</i>
<i>3MR-180-09</i>	<i>7.65</i>	<i>9390-4060</i>	<i>60</i>	<i>7.09</i>	<i>.01</i>
<i>3MR-183-09</i>	<i>7.65</i>	<i>9390-4061</i>	<i>61</i>	<i>7.20</i>	<i>.01</i>
<i>3MR-189-09</i>	<i>7.65</i>	<i>9390-4063</i>	<i>63</i>	<i>7.44</i>	<i>.01</i>
<i>3MR-201-09</i>	<i>7.65</i>	<i>9390-4067</i>	<i>67</i>	<i>7.91</i>	<i>.01</i>
<i>3MR-219-09</i>	<i>7.85</i>	<i>9390-4073</i>	<i>73</i>	<i>8.62</i>	<i>.01</i>
<i>3MR-225-09</i>	<i>7.85</i>	<i>9390-4075</i>	<i>75</i>	<i>8.86</i>	<i>.01</i>
<i>3MR-240-09</i>	<i>8.09</i>	<i>9390-4080</i>	<i>80</i>	<i>9.45</i>	<i>.01</i>
<i>3MR-243-09</i>	<i>8.09</i>	<i>9390-4081</i>	<i>81</i>	<i>9.57</i>	<i>.01</i>
<i>3MR-255-09</i>	<i>8.34</i>	<i>9390-4085</i>	<i>85</i>	<i>10.04</i>	<i>.01</i>
<i>3MR-267-09</i>	<i>8.34</i>	<i>9390-4089</i>	<i>89</i>	<i>10.51</i>	<i>.01</i>
<i>3MR-282-09</i>	<i>8.64</i>	<i>9390-4094</i>	<i>94</i>	<i>11.10</i>	<i>.02</i>
<i>3MR-291-09</i>	<i>8.64</i>	<i>9390-4097</i>	<i>97</i>	<i>11.46</i>	<i>.02</i>
<i>3MR-300-09</i>	<i>8.64</i>	<i>9390-4100</i>	<i>100</i>	<i>11.81</i>	<i>.02</i>
<i>3MR-339-09</i>	<i>9.09</i>	<i>9390-4113</i>	<i>113</i>	<i>13.35</i>	<i>.02</i>
<i>3MR-348-09</i>	<i>9.09</i>	<i>9390-4116</i>	<i>116</i>	<i>13.70</i>	<i>.02</i>
<i>3MR-357-09</i>	<i>9.31</i>	<i>9390-4119</i>	<i>119</i>	<i>14.06</i>	<i>.02</i>
<i>3MR-360-09</i>	<i>9.31</i>	<i>9390-4120</i>	<i>120</i>	<i>14.17</i>	<i>.02</i>
<i>3MR-375-09</i>	<i>9.31</i>	<i>9390-4125</i>	<i>125</i>	<i>14.76</i>	<i>.02</i>
<i>3MR-393-09</i>	<i>9.55</i>	<i>9390-4131</i>	<i>131</i>	<i>15.47</i>	<i>.02</i>
<i>3MR-414-09</i>	<i>9.86</i>	<i>9390-4138</i>	<i>138</i>	<i>16.30</i>	<i>.02</i>

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
<i>3MR-420-09</i>	<i>\$9.86</i>	<i>9390-4140</i>	<i>140</i>	<i>16.54</i>	<i>.02</i>
<i>3MR-447-09</i>	<i>10.00</i>	<i>9390-4149</i>	<i>149</i>	<i>17.60</i>	<i>.02</i>
<i>3MR-450-09</i>	<i>10.00</i>	<i>9390-4150</i>	<i>150</i>	<i>17.72</i>	<i>.02</i>
<i>3MR-474-09</i>	<i>10.30</i>	<i>9390-4158</i>	<i>158</i>	<i>18.66</i>	<i>.02</i>
<i>3MR-480-09</i>	<i>10.30</i>	<i>9390-4160</i>	<i>160</i>	<i>18.90</i>	<i>.03</i>
<i>3MR-483-09</i>	<i>10.55</i>	<i>9390-4161</i>	<i>161</i>	<i>19.02</i>	<i>.02</i>
<i>3MR-489-09</i>	<i>10.55</i>	<i>9390-4163</i>	<i>163</i>	<i>19.25</i>	<i>.02</i>
<i>3MR-504-09</i>	<i>10.55</i>	<i>9390-4168</i>	<i>168</i>	<i>19.84</i>	<i>.02</i>
<i>3MR-537-09</i>	<i>11.01</i>	<i>9390-4179</i>	<i>179</i>	<i>21.14</i>	<i>.03</i>
<i>3MR-552-09</i>	<i>11.01</i>	<i>9390-4184</i>	<i>184</i>	<i>21.73</i>	<i>.03</i>
<i>3MR-564-09</i>	<i>11.32</i>	<i>9390-4188</i>	<i>188</i>	<i>22.20</i>	<i>.03</i>
<i>3MR-600-09</i>	<i>11.46</i>	<i>9390-4200</i>	<i>200</i>	<i>23.62</i>	<i>.03</i>
<i>3MR-630-09</i>	<i>11.76</i>	<i>9390-4210</i>	<i>210</i>	<i>24.80</i>	<i>.03</i>
<i>3MR-684-09</i>	<i>12.23</i>	<i>9390-4228</i>	<i>228</i>	<i>26.93</i>	<i>.04</i>
<i>3MR-696-09</i>	<i>12.53</i>	<i>9390-4232</i>	<i>232</i>	<i>27.40</i>	<i>.04</i>
<i>3MR-735-09</i>	<i>12.76</i>	<i>9390-4245</i>	<i>245</i>	<i>28.94</i>	<i>.04</i>
<i>3MR-750-09</i>	<i>12.98</i>	<i>9390-4250</i>	<i>250</i>	<i>29.53</i>	<i>.04</i>
<i>3MR-786-09</i>	<i>13.22</i>	<i>9390-4262</i>	<i>262</i>	<i>30.94</i>	<i>.04</i>
<i>3MR-840-09</i>	<i>13.97</i>	<i>9390-4280</i>	<i>280</i>	<i>33.07</i>	<i>.05</i>
<i>3MR-945-09</i>	<i>14.89</i>	<i>9390-4315</i>	<i>315</i>	<i>37.20</i>	<i>.05</i>
<i>3MR-1050-09</i>	<i>15.88</i>	<i>9390-4350</i>	<i>350</i>	<i>41.34</i>	<i>.06</i>
<i>3MR-1080-09</i>	<i>16.18</i>	<i>9390-4360</i>	<i>360</i>	<i>42.52</i>	<i>.06</i>
<i>3MR-1272-09</i>	<i>18.11</i>	<i>9390-4424</i>	<i>424</i>	<i>50.08</i>	<i>.06</i>
<i>3MR-1536-09</i>	<i>21.70</i>	<i>9390-4512</i>	<i>512</i>	<i>60.47</i>	<i>.06</i>
<i>3MR-1587-09</i>	<i>22.39</i>	<i>9390-4529</i>	<i>529</i>	<i>62.48</i>	<i>.06</i>
<i>3MR-2061-09</i>	<i>28.92</i>	<i>9390-4687</i>	<i>687</i>	<i>81.14</i>	<i>.07</i>

3mm Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
<i>3MR-99-15</i>	<i>\$11.07</i>	<i>9390-5033</i>	<i>33</i>	<i>3.90</i>	<i>.01</i>
<i>3MR-111-15</i>	<i>11.07</i>	<i>9390-5037</i>	<i>37</i>	<i>4.37</i>	<i>.01</i>
<i>3MR-123-15</i>	<i>11.08</i>	<i>9390-5041</i>	<i>41</i>	<i>4.84</i>	<i>.01</i>
<i>3MR-129-15</i>	<i>11.58</i>	<i>9390-5043</i>	<i>43</i>	<i>5.08</i>	<i>.01</i>
<i>3MR-159-15</i>	<i>12.01</i>	<i>9390-5053</i>	<i>53</i>	<i>6.26</i>	<i>.01</i>
<i>3MR-162-15</i>	<i>12.01</i>	<i>9390-5054</i>	<i>54</i>	<i>6.38</i>	<i>.01</i>
<i>3MR-165-15</i>	<i>12.01</i>	<i>9390-5055</i>	<i>55</i>	<i>6.50</i>	<i>.02</i>
<i>3MR-180-15</i>	<i>12.41</i>	<i>9390-5060</i>	<i>60</i>	<i>7.09</i>	<i>.01</i>
<i>3MR-183-15</i>	<i>12.41</i>	<i>9390-5061</i>	<i>61</i>	<i>7.20</i>	<i>.01</i>
<i>3MR-189-15</i>	<i>12.41</i>	<i>9390-5063</i>	<i>63</i>	<i>7.44</i>	<i>.02</i>
<i>3MR-201-15</i>	<i>12.41</i>	<i>9390-5067</i>	<i>67</i>	<i>7.91</i>	<i>.02</i>
<i>3MR-219-15</i>	<i>12.84</i>	<i>9390-5073</i>	<i>73</i>	<i>8.62</i>	<i>.02</i>
<i>3MR-225-15</i>	<i>12.84</i>	<i>9390-5075</i>	<i>75</i>	<i>8.86</i>	<i>.02</i>
<i>3MR-240-15</i>	<i>13.34</i>	<i>9390-5080</i>	<i>80</i>	<i>9.45</i>	<i>.02</i>
<i>3MR-243-15</i>	<i>13.34</i>	<i>9390-5081</i>	<i>81</i>	<i>9.57</i>	<i>.02</i>
<i>3MR-255-15</i>	<i>13.69</i>	<i>9390-5085</i>	<i>85</i>	<i>10.04</i>	<i>.01</i>
<i>3MR-267-15</i>	<i>13.69</i>	<i>9390-5089</i>	<i>89</i>	<i>10.51</i>	<i>.02</i>
<i>3MR-282-15</i>	<i>14.12</i>	<i>9390-5094</i>	<i>94</i>	<i>11.10</i>	<i>.03</i>
<i>3MR-291-15</i>	<i>14.12</i>	<i>9390-5097</i>	<i>97</i>	<i>11.46</i>	<i>.03</i>
<i>3MR-300-15</i>	<i>14.12</i>	<i>9390-5100</i>	<i>100</i>	<i>11.81</i>	<i>.03</i>
<i>3MR-339-15</i>	<i>14.97</i>	<i>9390-5113</i>	<i>113</i>	<i>13.35</i>	<i>.03</i>
<i>3MR-348-15</i>	<i>14.97</i>	<i>9390-5116</i>	<i>116</i>	<i>13.70</i>	<i>.03</i>
<i>3MR-357-15</i>	<i>15.47</i>	<i>9390-5119</i>	<i>119</i>	<i>14.06</i>	<i>.03</i>
<i>3MR-360-15</i>	<i>15.47</i>	<i>9390-5120</i>	<i>120</i>	<i>14.17</i>	<i>.03</i>
<i>3MR-375-15</i>	<i>15.47</i>	<i>9390-5125</i>	<i>125</i>	<i>14.76</i>	<i>.03</i>
<i>3MR-393-15</i>	<i>15.90</i>	<i>9390-5131</i>	<i>131</i>	<i>15.47</i>	<i>.02</i>
<i>3MR-414-15</i>	<i>16.22</i>	<i>9390-5138</i>	<i>138</i>	<i>16.30</i>	<i>.02</i>

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
<i>3MR-420-15</i>	<i>\$16.22</i>	<i>9390-5140</i>	<i>140</i>	<i>16.54</i>	<i>.04</i>
<i>3MR-447-15</i>	<i>16.65</i>	<i>9390-5149</i>	<i>149</i>	<i>17.60</i>	<i>.04</i>
<i>3MR-450-15</i>	<i>16.65</i>	<i>9390-5150</i>	<i>150</i>	<i>17.72</i>	<i>.04</i>
<i>3MR-474-15</i>	<i>17.08</i>	<i>9390-5158</i>	<i>158</i>	<i>18.66</i>	<i>.04</i>
<i>3MR-480-15</i>	<i>17.08</i>	<i>9390-5160</i>	<i>160</i>	<i>18.90</i>	<i>.04</i>
<i>3MR-483-15</i>	<i>17.60</i>	<i>9390-5161</i>	<i>161</i>	<i>19.02</i>	<i>.04</i>
<i>3MR-489-15</i>	<i>17.60</i>	<i>9390-5163</i>	<i>163</i>	<i>19.25</i>	<i>.04</i>
<i>3MR-504-15</i>	<i>17.60</i>	<i>9390-5168</i>	<i>168</i>	<i>19.84</i>	<i>.02</i>
<i>3MR-537-15</i>	<i>18.44</i>	<i>9390-5179</i>	<i>179</i>	<i>21.14</i>	<i>.05</i>
<i>3MR-552-15</i>	<i>18.44</i>	<i>9390-5184</i>	<i>184</i>	<i>21.73</i>	<i>.03</i>
<i>3MR-564-15</i>	<i>18.80</i>	<i>9390-5188</i>	<i>188</i>	<i>22.20</i>	<i>.03</i>
<i>3MR-600-15</i>	<i>19.23</i>	<i>9390-5200</i>	<i>200</i>	<i>23.62</i>	<i>.06</i>
<i>3MR-630-15</i>	<i>19.73</i>	<i>9390-5210</i>	<i>210</i>	<i>24.80</i>	<i>.06</i>
<i>3MR-684-15</i>	<i>20.58</i>	<i>9390-5228</i>	<i>228</i>	<i>26.93</i>	<i>.06</i>
<i>3MR-696-15</i>	<i>21.01</i>	<i>9390-5232</i>	<i>232</i>	<i>27.40</i>	<i>.04</i>
<i>3MR-735-15</i>	<i>21.36</i>	<i>9390-5245</i>	<i>245</i>	<i>28.94</i>	<i>.04</i>
<i>3MR-750-15</i>	<i>21.86</i>	<i>9390-5250</i>	<i>250</i>	<i>29.53</i>	<i>.07</i>
<i>3MR-786-15</i>	<i>22.31</i>	<i>9390-5262</i>	<i>262</i>	<i>30.94</i>	<i>.05</i>
<i>3MR-840-15</i>	<i>23.48</i>	<i>9390-5280</i>	<i>280</i>	<i>33.07</i>	<i>.08</i>
<i>3MR-945-15</i>	<i>25.25</i>	<i>9390-5315</i>	<i>315</i>	<i>37.20</i>	<i>.09</i>
<i>3MR-1050-15</i>	<i>26.95</i>	<i>9390-5350</i>	<i>350</i>	<i>41.34</i>	<i>.10</i>
<i>3MR-1080-15</i>	<i>27.40</i>	<i>9390-5360</i>	<i>360</i>	<i>42.52</i>	<i>.10</i>
<i>3MR-1272-15</i>	<i>30.89</i>	<i>9390-5424</i>	<i>424</i>	<i>50.08</i>	<i>.06</i>
<i>3MR-1536-15</i>	<i>37.03</i>	<i>9390-5512</i>	<i>512</i>	<i>60.47</i>	<i>.10</i>
<i>3MR-1587-15</i>	<i>38.23</i>	<i>9390-5529</i>	<i>529</i>	<i>62.48</i>	<i>.06</i>
<i>3MR-2061-15</i>	<i>49.40</i>	<i>9390-5687</i>	<i>687</i>	<i>81.14</i>	<i>.11</i>

Prices Subject To Change Without Notice





PowerGrip® GT®2 Belts (continued)

Markets/Applications

- HVAC
- Office Machines
- Postage Handling
- Sewing Machines
- Outdoor Power Equipment
- Food Processing
- Machine Tools
- Spindle Drives
- Hand Power Tools
- Robotics
- Linear
- Light Package Conveyor

Features/Advantages

- Eliminates Lubrication
- Minimal Maintenance
- Low Noise
- Precision Registration
- Compact Drive
- Reduces Costs

Features/Advantages (continued)

- Highest Density 5mm Rubber Belt
- Curvilinear Tooth
- Metric Pitch



How to Describe and Order

Specify the order quantity, followed by the part number.

For Example:

Quantity **Part Number**
2 **5MR-400-09**

Additional sizes may be available on a Made to Order basis. Check with Customer Service for availability.

Belt Pitch (mm)	Belt Pitch Length (mm)	Belt Width (mm)
5MR	700	15

NOTE: Numbers in *bold italics* are new.

Product No. Series 9390

5mm Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-300-09	\$11.22	9390-6060	60	11.81	.02
5MR-355-09	11.97	9390-6071	71	13.98	.03
5MR-375-09	12.35	9390-6075	75	14.76	.03
5MR-400-09	12.74	9390-6080	80	15.75	.03
5MR-405-09	12.74	9390-6081	81	15.95	.03
5MR-425-09	13.04	9390-6085	85	16.73	.03
5MR-450-09	13.41	9390-6090	90	17.72	.04
5MR-500-09	14.18	9390-6100	100	19.69	.04
5MR-535-09	14.87	9390-6107	107	21.06	.04
5MR-565-09	15.27	9390-6113	113	22.24	.05
5MR-575-09	15.27	9390-6115	115	22.64	.05
5MR-580-09	15.27	9390-6116	116	22.83	.05
5MR-600-09	15.56	9390-6120	120	23.62	.05
5MR-625-09	15.94	9390-6125	125	24.61	.05
5MR-650-09	16.27	9390-6130	130	25.59	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-700-09	\$17.04	9390-6140	140	27.56	.06
5MR-750-09	17.71	9390-6150	150	29.53	.06
5MR-800-09	18.48	9390-6160	160	31.50	.07
5MR-815-09	18.84	9390-6163	163	32.09	.07
5MR-850-09	19.17	9390-6170	170	33.46	.07
5MR-900-09	19.94	9390-6180	180	35.43	.07
5MR-1000-09	21.38	9390-6200	200	39.37	.08
5MR-1150-09	23.46	9390-6230	230	45.28	.09
5MR-1300-09	25.39	9390-6260	260	51.18	.11
5MR-1450-09	27.44	9390-6290	290	57.09	.12
5MR-1600-09	29.65	9390-6320	320	62.99	.13
5MR-1720-09	31.11	9390-6344	344	67.72	.14
5MR-1755-09	31.78	9390-6351	351	69.09	.15
5MR-2100-09	36.83	9390-6420	420	82.67	.17

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts (continued)

Product No. Series 9390 (continued)

5mm Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-300-15	\$16.93	9390-7060	60	11.81	.04
5MR-355-15	18.23	9390-7071	71	13.98	.05
5MR-375-15	18.86	9390-7075	75	14.76	.05
5MR-400-15	19.47	9390-7080	80	15.75	.05
5MR-405-15	19.47	9390-7081	81	15.95	.06
5MR-425-15	20.10	9390-7085	85	16.73	.06
5MR-450-15	20.73	9390-7090	90	17.72	.06
5MR-500-15	22.02	9390-7100	100	19.69	.07
5MR-535-15	23.26	9390-7107	107	21.06	.07
5MR-565-15	23.87	9390-7113	113	22.24	.08
5MR-575-15	23.87	9390-7115	115	22.64	.08
5MR-580-15	23.87	9390-7116	116	22.83	.08
5MR-600-15	24.52	9390-7120	120	23.62	.08
5MR-625-15	25.19	9390-7125	125	24.61	.09
5MR-650-15	25.74	9390-7130	130	25.59	.09

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-700-15	\$26.99	9390-7140	140	27.56	.09
5MR-750-15	28.29	9390-7150	150	29.53	.10
5MR-800-15	29.53	9390-7160	160	31.50	.11
5MR-815-15	30.14	9390-7163	163	32.09	.11
5MR-850-15	30.77	9390-7170	170	33.46	.12
5MR-900-15	32.00	9390-7180	180	35.43	.12
5MR-1000-15	34.56	9390-7200	200	39.37	.14
5MR-1150-15	38.35	9390-7230	230	45.28	.16
5MR-1300-15	41.43	9390-7260	260	51.18	.18
5MR-1450-15	45.17	9390-7290	290	57.09	.20
5MR-1600-15	48.94	9390-7320	320	62.99	.22
5MR-1720-15	51.41	9390-7344	344	67.72	.23
5MR-1755-15	52.75	9390-7351	351	69.09	.24
5MR-2100-15	61.45	9390-7420	420	82.67	.28

5mm Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-300-25	\$26.79	9390-8060	60	11.81	.07
5MR-355-25	28.94	9390-8071	71	13.98	.08
5MR-375-25	30.06	9390-8075	75	14.76	.08
5MR-400-25	31.05	9390-8080	80	15.75	.09
5MR-405-25	31.05	9390-8081	81	15.95	.10
5MR-425-25	32.14	9390-8085	85	16.73	.10
5MR-450-25	33.26	9390-8090	90	17.72	.10
5MR-500-25	35.39	9390-8100	100	19.69	.11
5MR-535-25	37.50	9390-8107	107	21.06	.12
5MR-565-25	38.57	9390-8113	113	22.24	.13
5MR-575-25	38.57	9390-8115	115	22.64	.14
5MR-580-25	38.57	9390-8116	116	22.83	.14
5MR-600-25	39.67	9390-8120	120	23.62	.14
5MR-625-25	40.76	9390-8125	125	24.61	.15
5MR-650-25	41.82	9390-8130	130	25.59	.15

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-700-25	43.95	9390-8140	140	27.56	.16
5MR-750-25	46.12	9390-8150	150	29.53	.17
5MR-800-25	48.27	9390-8160	160	31.50	.18
5MR-815-25	49.38	9390-8163	163	32.09	.18
5MR-850-25	50.40	9390-8170	170	33.46	.20
5MR-900-25	52.55	9390-8180	180	35.43	.20
5MR-1000-25	56.85	9390-8200	200	39.37	.23
5MR-1150-25	63.26	9390-8230	230	45.28	.26
5MR-1300-25	68.75	9390-8260	260	51.18	.29
5MR-1450-25	75.16	9390-8290	290	57.09	.33
5MR-1600-25	81.59	9390-8320	320	62.99	.36
5MR-1720-25	85.87	9390-8344	344	67.72	.39
5MR-1755-25	88.04	9390-8351	351	69.09	.41
5MR-2100-25	103.05	9390-8420	420	82.67	.47

Prices Subject To Change Without Notice

