

Schrägkugellager, einreihig / angular contact ball bearings, single row

Abmessung dimensions mm		Tragzahl load rating kN		Drehzahlgrenze speed limit min ⁻¹		Kurzzeichen code	Gewicht weight	Preis gross price				
d	D	B	r _s min	r ₁ min	a ~	dyn. C	stat. C ₀	grease	oil	bearing	kg	EUR
17	40	12	0,6	0,6	18,0	10,00	5,50	15000	20000	7203B.TVP	0,067	19,54
17	40	12	0,6	0,6	18,0	10,00	5,50	15000	20000	7203B.TVP.UA	0,067	34,33
17	40	12	0,6	0,6	18,0	10,00	5,50	15000	20000	7203B.TVP.UO	0,067	34,33
17	47	14	1,0	0,6	20,0	16,00	8,30	13000	18000	7303B.TVP	0,113	23,82
17	47	14	1,0	0,6	20,0	16,00	8,30	13000	18000	7303B.TVP.UA	0,113	39,38
17	47	14	1,0	0,6	20,0	16,00	8,30	13000	18000	7303B.TVP.UO	0,113	39,38
20	47	14	1,0	0,6	21,0	13,40	7,65	13000	18000	7204B.TVP	0,107	21,69
20	47	14	1,0	0,6	21,0	13,40	7,65	13000	18000	7204B.TVP.UA	0,107	37,31
20	47	14	1,0	0,6	21,0	13,40	7,65	13000	18000	7204B.TVP.UO	0,107	37,31
20	52	15	1,1	0,6	23,0	19,00	10,40	12000	17000	7304B.TVP	0,146	25,35
20	52	15	1,1	0,6	23,0	19,00	10,40	12000	17000	7304B.TVP.UA	0,146	41,05
20	52	15	1,1	0,6	23,0	19,00	10,40	12000	17000	7304B.TVP.UO	0,146	41,05
25	52	15	1,0	0,6	24,0	14,60	9,30	11000	16000	7205B.TVP	0,131	23,60
25	52	15	1,0	0,6	24,0	14,60	9,30	11000	16000	7205B.TVP.UA	0,131	39,27
25	52	15	1,0	0,6	24,0	14,60	9,30	11000	16000	7205B.TVP.UO	0,131	39,27
25	62	17	1,1	0,6	27,0	26,00	15,00	9500	14000	7305B.TVP	0,229	30,08
25	62	17	1,1	0,6	27,0	26,00	15,00	9500	14000	7305B.TVP.UA	0,229	45,59
25	62	17	1,1	0,6	27,0	26,00	15,00	9500	14000	7305B.TVP.UO	0,229	45,59
30	62	16	1,0	0,6	27,0	20,40	13,40	9000	13000	7206B.TVP	0,201	28,23
30	62	16	1,0	0,6	27,0	20,40	13,40	9000	13000	7206B.TVP.UA	0,201	43,83
30	62	16	1,0	0,6	27,0	20,40	13,40	9000	13000	7206B.TVP.UO	0,201	43,83
30	72	19	1,1	0,6	31,0	32,50	20,00	8000	11000	7306B.TVP	0,349	36,29
30	72	19	1,1	0,6	31,0	32,50	20,00	8000	11000	7306B.TVP.UA	0,349	54,12
30	72	19	1,1	0,6	31,0	32,50	20,00	8000	11000	7306B.TVP.UO	0,349	54,12
35	72	17	1,1	0,6	31,0	27,00	18,30	8000	11000	7207B.TVP	0,287	33,57
35	72	17	1,1	0,6	31,0	27,00	18,30	8000	11000	7207B.TVP.UA	0,287	51,45
35	72	17	1,1	0,6	31,0	27,00	18,30	8000	11000	7207B.TVP.UO	0,287	51,45
35	80	21	1,5	1,0	35,0	39,00	25,00	7000	9500	7307B.TVP	0,456	44,11
35	80	21	1,5	1,0	35,0	39,00	25,00	7000	9500	7307B.TVP.UA	0,456	62,05
35	80	21	1,5	1,0	35,0	39,00	25,00	7000	9500	7307B.TVP.UO	0,456	62,05
40	80	18	1,1	0,6	34,0	32,00	23,20	7000	9500	7208B.TVP	0,373	39,94
40	80	18	1,1	0,6	34,0	32,00	23,20	7000	9500	7208B.TVP.UA	0,373	57,89
40	80	18	1,1	0,6	34,0	32,00	23,20	7000	9500	7208B.TVP.UO	0,373	57,89
40	90	23	1,5	1,0	39,0	50,00	32,50	6300	8500	7308B.TVP	0,626	56,67
40	90	23	1,5	1,0	39,0	50,00	32,50	6300	8500	7308B.TVP.UA	0,626	76,59
40	90	23	1,5	1,0	39,0	50,00	32,50	6300	8500	7308B.TVP.UO	0,626	76,59
45	85	19	1,1	0,6	37,0	36,00	26,50	6300	8500	7209B.TVP	0,414	44,34
45	85	19	1,1	0,6	37,0	36,00	26,50	6300	8500	7209B.TVP.UA	0,414	64,45
45	85	19	1,1	0,6	37,0	36,00	26,50	6300	8500	7209B.TVP.UO	0,414	64,45
45	100	25	1,5	1,0	43,0	60,00	40,00	5600	7500	7309B.TVP	0,835	69,52
45	100	25	1,5	1,0	43,0	60,00	40,00	5600	7500	7309B.TVP.UA	0,835	94,59
45	100	25	1,5	1,0	43,0	60,00	40,00	5600	7500	7309B.TVP.UO	0,835	94,59
50	90	20	1,1	0,6	39,0	37,50	28,50	6000	8000	7210B.TVP	0,466	50,24
50	90	20	1,1	0,6	39,0	37,50	28,50	6000	8000	7210B.TVP.UA	0,466	70,27
50	90	20	1,1	0,6	39,0	37,50	28,50	6000	8000	7210B.TVP.UO	0,466	70,27
50	110	27	2,0	1,0	47,0	69,50	47,50	5300	7000	7310B.TVP	1,080	85,23
50	110	27	2,0	1,0	47,0	69,50	47,50	5300	7000	7310B.TVP.UA	1,080	110,65
50	110	27	2,0	1,0	47,0	69,50	47,50	5300	7000	7310B.TVP.UO	1,080	110,65
55	100	21	1,5	1,0	43,0	46,50	36,00	5300	7000	7211B.TVP	0,633	61,10
55	100	21	1,5	1,0	43,0	46,50	36,00	5300	7000	7211B.TVP.UA	0,633	85,97
55	100	21	1,5	1,0	43,0	46,50	36,00	5300	7000	7211B.TVP.UO	0,633	85,97
55	120	29	2,0	1,0	51,0	78,00	56,00	4800	6300	7311B.TVP	1,410	105,01
55	120	29	2,0	1,0	51,0	78,00	56,00	4800	6300	7311B.TVP.UA	1,410	131,21
55	120	29	2,0	1,0	51,0	78,00	56,00	4800	6300	7311B.TVP.UO	1,410	131,21
60	110	22	1,5	1,0	47,0	56,00	44,00	4800	6300	7212B.TVP	0,798	72,96
60	110	22	1,5	1,0	47,0	56,00	44,00	4800	6300	7212B.TVP.UA	0,798	97,93
60	110	22	1,5	1,0	47,0	56,00	44,00	4800	6300	7212B.TVP.UO	0,798	97,93
60	130	31	2,1	1,1	55,0	90,00	65,50	4300	5600	7312B.TVP	1,810	127,82
60	130	31	2,1	1,1	55,0	90,00	65,50	4300	5600	7312B.TVP.UA	1,810	155,49
60	130	31	2,1	1,1	55,0	90,00	65,50	4300	5600	7312B.TVP.UO	1,810	155,49
65	120	23	1,5	1,0	50,5	64,00	53,00	4500	6000	7213B.TVP	1,030	88,21
65	120	23	1,5	1,0	50,5	64,00	53,00	4500	6000	7213B.TVP.UA	1,030	114,77
65	120	23	1,5	1,0	50,5	64,00	53,00	4500	6000	7213B.TVP.UO	1,030	114,77
65	140	33	2,1	1,1	60,0	102,00	75,00	4000	5300	7313B.TVP	2,160	169,69
65	140	33	2,1	1,1	60,0	102,00	75,00	4000	5300	7313B.TVP.UA	2,160	197,75

65	140	33	2,1	1,1	60,0	102,00	75,00	4000	5300	7313B.TVP.UO	2,160	197,75
70	125	24	1,5	1,0	53,0	69,50	58,50	4300	5600	7214B.TVP	1,140	102,41
70	125	24	1,5	1,0	53,0	69,50	58,50	4300	5600	7214B.TVP.UA	1,140	128,98
70	125	24	1,5	1,0	53,0	69,50	58,50	4300	5600	7214B.TVP.UO	1,140	128,98
70	150	35	2,1	1,1	64,0	114,00	86,50	3800	5000	7314B.TVP	2,650	205,23
70	150	35	2,1	1,1	64,0	114,00	86,50	3800	5000	7314B.TVP.UA	2,650	234,23
70	150	35	2,1	1,1	64,0	114,00	86,50	3800	5000	7314B.TVP.UO	2,650	234,23
75	130	25	1,5	1,0	56,0	68,00	58,50	4000	5300	7215B.TVP	1,190	115,52
75	130	25	1,5	1,0	56,0	68,00	58,50	4000	5300	7215B.TVP.UA	1,190	143,54
75	130	25	1,5	1,0	56,0	68,00	58,50	4000	5300	7215B.TVP.UO	1,190	143,54
75	160	37	2,1	1,1	68,0	127,00	100,00	3400	4500	7315B.TVP	3,170	258,29
75	160	37	2,1	1,1	68,0	127,00	100,00	3400	4500	7315B.TVP.UA	3,170	291,19
75	160	37	2,1	1,1	68,0	127,00	100,00	3400	4500	7315B.TVP.UO	3,170	291,19
80	140	26	2,0	1,0	59,0	80,00	69,50	3800	5000	7216B.TVP	1,460	140,53
80	140	26	2,0	1,0	59,0	80,00	69,50	3800	5000	7216B.TVP.UA	1,460	168,20
80	140	26	2,0	1,0	59,0	80,00	69,50	3800	5000	7216B.TVP.UO	1,460	168,20
80	170	39	2,1	1,1	72,0	140,00	114,00	3200	4300	7316B.TVP	4,280	303,14
80	170	39	2,1	1,1	72,0	140,00	114,00	3200	4300	7316B.TVP.UA	4,280	336,04
80	170	39	2,1	1,1	72,0	140,00	114,00	3200	4300	7316B.TVP.UO	4,280	336,04
85	150	28	2,0	1,0	63,0	90,00	80,00	3400	4500	7217B.TVP	1,920	169,69
85	150	28	2,0	1,0	63,0	90,00	80,00	3400	4500	7217B.TVP.UA	1,920	198,85
85	150	28	2,0	1,0	63,0	90,00	80,00	3400	4500	7217B.TVP.UO	1,920	198,85
85	180	41	3,0	1,1	76,0	150,00	127,00	3000	4000	7317B.TVP	4,580	363,81
85	180	41	3,0	1,1	76,0	150,00	127,00	3000	4000	7317B.TVP.UA	4,580	398,44
85	180	41	3,0	1,1	76,0	150,00	127,00	3000	4000	7317B.TVP.UO	4,580	398,44
90	160	30	2,0	1,0	67,0	106,00	93,00	3200	4300	7218B.TVP	2,350	205,57
90	160	30	2,0	1,0	67,0	106,00	93,00	3200	4300	7218B.TVP.UA	2,350	238,49
90	160	30	2,0	1,0	67,0	106,00	93,00	3200	4300	7218B.TVP.UO	2,350	238,49
90	190	43	3,0	1,1	80,0	160,00	140,00	2800	3800	7318B.TVP	5,320	422,19
90	190	43	3,0	1,1	80,0	160,00	140,00	2800	3800	7318B.TVP.UA	5,320	462,76
90	190	43	3,0	1,1	80,0	160,00	140,00	2800	3800	7318B.TVP.UO	5,320	462,76
95	170	32	2,1	1,1	72,0	116,00	100,00	3000	4000	7219B.TVP	3,090	238,49
95	170	32	2,1	1,1	72,0	116,00	100,00	3000	4000	7219B.TVP.UA	3,090	271,26
95	170	32	2,1	1,1	72,0	116,00	100,00	3000	4000	7219B.TVP.UO	3,090	271,26
95	200	45	3,0	1,1	84,0	173,00	153,00	2800	3800	7319B.TVP	6,180	496,94
95	200	45	3,0	1,1	84,0	173,00	153,00	2800	3800	7319B.TVP.UA	6,180	537,53
95	200	45	3,0	1,1	84,0	173,00	153,00	2800	3800	7319B.TVP.UO	6,180	537,53
100	180	34	2,1	1,1	76,0	129,00	114,00	2800	3800	7220B.TVP	3,410	279,79
100	180	34	2,1	1,1	76,0	129,00	114,00	2800	3800	7220B.TVP.UA	3,410	314,33
100	180	34	2,1	1,1	76,0	129,00	114,00	2800	3800	7220B.TVP.UO	3,410	314,33
100	215	47	3,0	1,1	90,0	193,00	180,00	2600	3600	7320B.TVP	7,650	595,19
100	215	47	3,0	1,1	90,0	193,00	180,00	2600	3600	7320B.TVP.UA	7,650	642,18
100	215	47	3,0	1,1	90,0	193,00	180,00	2600	3600	7320B.TVP.UO	7,650	642,18
105	190	36	2,1	1,1	80,0	143,00	129,00	2800	3800	7221B.MP	4,400	428,60
105	190	36	2,1	1,1	80,0	143,00	129,00	2800	3800	7221B.MP.UA	4,400	468,82
105	190	36	2,1	1,1	80,0	143,00	129,00	2800	3800	7221B.MP.UO	4,400	468,82
105	225	49	3,0	1,1	94,0	208,00	200,00	2400	3400	7321B.MP	9,460	871,42
105	225	49	3,0	1,1	94,0	208,00	200,00	2400	3400	7321B.MP.UA	9,460	923,40
105	225	49	3,0	1,1	94,0	208,00	200,00	2400	3400	7321B.MP.UO	9,460	923,40
110	200	38	2,1	1,1	84,0	153,00	143,00	2600	3600	7222B.TVP	4,720	370,22
110	200	38	2,1	1,1	84,0	153,00	143,00	2600	3600	7222B.TVP.UA	4,720	410,43
110	200	38	2,1	1,1	84,0	153,00	143,00	2600	3600	7222B.TVP.UO	4,720	410,43
110	240	50	3,0	1,1	98,0	224,00	224,00	2400	3400	7322B.TVP	10,400	849,34
110	240	50	3,0	1,1	98,0	224,00	224,00	2400	3400	7322B.TVP.UA	10,400	905,24
110	240	50	3,0	1,1	98,0	224,00	224,00	2400	3400	7322B.TVP.UO	10,400	905,24
120	215	40	2,1	1,1	90,0	166,00	160,00	3400	4300	7224B.MP	5,510	772,87
120	215	40	2,1	1,1	90,0	166,00	160,00	3400	4300	7224B.MP.UA	5,510	856,86
120	215	40	2,1	1,1	90,0	166,00	160,00	3400	4300	7224B.MP.UO	5,510	856,86
120	260	55	3,0	1,1	107,0	250,00	260,00	3200	3000	7324B.MP	12,400	1485,30
120	260	55	3,0	1,1	107,0	250,00	260,00	3200	3000	7324B.MP.UA	12,400	1544,08
120	260	55	3,0	1,1	107,0	250,00	260,00	3200	3000	7324B.MP.UO	12,400	1544,08
130	230	40	3,0	1,1	96,0	186,00	190,00	2200	3200	7226B.TVP	7,010	690,59
130	230	40	3,0	1,1	96,0	186,00	190,00	2200	3200	7226B.TVP.UA	7,010	745,39
130	230	40	3,0	1,1	96,0	186,00	190,00	2200	3200	7226B.TVP.UO	7,010	745,39
130	280	58	4,0	1,5	115,0	275,00	300,00	2000	3000	7326B.TVP	15,100	1462,84
130	280	58	4,0	1,5	115,0	275,00	300,00	2000	3000	7326B.TVP.UA	15,100	1533,06
130	280	58	4,0	1,5	115,0	275,00	300,00	2000	3000	7326B.TVP.UO	15,100	1533,06
140	250	42	3,0	1,1	103,0	196,00	212,00	2000	3000	7228B.MP	8,550	1249,23
140	250	42	3,0	1,1	103,0	196,00	212,00	2000	3000	7228B.MP.UA	8,550	1315,05
140	250	42	3,0	1,1	103,0	196,00	212,00	2000	3000	7228B.MP.UO	8,550	1315,05
140	300	62	4,0	1,5	123,0	300,00	340,00	1800	2600	7328B.MP	20,400	2315,03
140	300	62	4,0	1,5	123,0	300,00	340,00	1800	2600	7328B.MP.UA	20,400	2429,75
140	300	62	4,0	1,5	123,0	300,00	340,00	1800	2600	7328B.MP.UO	20,400	2429,75
150	270	45	3,0	1,1	111,0	224,00	255,00	1900	2800	7230B.MP	10,900	1385,03
150	270	45	3,0	1,1	111,0	224,00	255,00	1900	2800	7230B.MP.UA	10,900	1458,02

150	270	45	3,0	1,1	111,0	224,00	255,00	1900	2800	7230B.MP.UO	10,900	1458,02
150	320	65	4,0	1,5	131,0	325,00	390,00	1700	2400	7330B.MP	24,800	2665,37
150	320	65	4,0	1,5	131,0	325,00	390,00	1700	2400	7330B.MP.UA	24,800	2746,45
150	320	65	4,0	1,5	131,0	325,00	390,00	1700	2400	7330B.MP.UO	24,800	2746,45
160	290	48	3,0	1,1	118,0	236,00	280,00	1800	2600	7232B.MP	13,500	1673,68
160	290	48	3,0	1,1	118,0	236,00	280,00	1800	2600	7232B.MP.UA	13,500	1757,16
160	290	48	3,0	1,1	118,0	236,00	280,00	1800	2600	7232B.MP.UO	13,500	1757,16
160	340	68	4,0	1,5	139,0	360,00	450,00	1600	2200	7332B.MP	29,000	3393,01
160	340	68	4,0	1,5	139,0	360,00	450,00	1600	2200	7332B.MP.UA	29,000	3494,81
160	340	68	4,0	1,5	139,0	360,00	450,00	1600	2200	7332B.MP.UO	29,000	3494,81
170	310	52	4,0	1,5	127,0	265,00	325,00	1700	2400	7234B.MP	16,700	2036,54
170	310	52	4,0	1,5	127,0	265,00	325,00	1700	2400	7234B.MP.UA	16,700	2143,86
170	310	52	4,0	1,5	127,0	265,00	325,00	1700	2400	7234B.MP.UO	16,700	2143,86
170	360	72	4,0	1,5	147,0	390,00	510,00	1500	2000	7334B.MP	34,300	3978,29
170	360	72	4,0	1,5	147,0	390,00	510,00	1500	2000	7334B.MP.UA	34,300	4097,74
170	360	72	4,0	1,5	147,0	390,00	510,00	1500	2000	7334B.MP.UO	34,300	4097,74
180	320	52	4,0	1,5	131,0	291,00	375,00	1600	2400	7236B.MP	17,600	2220,28
180	320	52	4,0	1,5	131,0	291,00	375,00	1600	2400	7236B.MP.UA	17,600	2286,84
180	320	52	4,0	1,5	131,0	291,00	375,00	1600	2400	7236B.MP.UO	17,600	2286,84
180	380	75	4,0	2,0	156,0	410,00	540,00	1500	2000	7336B.MP	40,000	5667,32
180	380	75	4,0	2,0	156,0	410,00	540,00	1500	2000	7336B.MP.UA	40,000	5837,48
180	380	75	4,0	2,0	156,0	410,00	540,00	1500	2000	7336B.MP.UO	40,000	5837,48
190	340	55	4,0	1,5	139,0	307,00	405,00	1500	2200	7238B.MP	21,900	3044,02
190	340	55	4,0	1,5	139,0	307,00	405,00	1500	2200	7238B.MP.UA	21,900	3135,28
190	340	55	4,0	1,5	139,0	307,00	405,00	1500	2200	7238B.MP.UO	21,900	3135,28
190	400	78	5,0	2,0	164,0	442,00	600,00	1400	1900	7338B.MP	48,300	6653,03
190	400	78	5,0	2,0	164,0	442,00	600,00	1400	1900	7338B.MP.UA	48,300	6852,78
190	400	78	5,0	2,0	164,0	442,00	600,00	1400	1900	7338B.MP.UO	48,300	6852,78
200	360	58	4,0	1,5	147,0	325,00	430,00	1400	2000	7240B.MP	25,000	3606,53
200	360	58	4,0	1,5	147,0	325,00	430,00	1400	2000	7240B.MP.UA	25,000	3714,65
200	360	58	4,0	1,5	147,0	325,00	430,00	1400	2000	7240B.MP.UO	25,000	3714,65
200	420	80	5,0	2,0	172,0	462,00	655,00	1300	1800	7340B.MP	52,800	7748,95
200	420	80	5,0	2,0	172,0	462,00	655,00	1300	1800	7340B.MP.UA	52,800	7981,61
200	420	80	5,0	2,0	172,0	462,00	655,00	1300	1800	7340B.MP.UO	52,800	7981,61
220	400	65	4,0	1,5	164,0	390,00	560,00	1200	1800	7244B.MP	35,200	4936,58
220	400	65	4,0	1,5	164,0	390,00	560,00	1200	1800	7244B.MP.UA	35,200	5084,58
220	400	65	4,0	1,5	164,0	390,00	560,00	1200	1800	7244B.MP.UO	35,200	5084,58
240	440	72	4,0	1,5	180,0	364,00	540,00	1000	1700	7248B.MP	49,000	6523,34
240	440	72	4,0	1,5	180,0	364,00	540,00	1000	1700	7248B.MP.UA	49,000	6718,90
240	440	72	4,0	1,5	180,0	364,00	540,00	1000	1700	7248B.MP.UO	49,000	6718,90
260	480	80	5,0	2,0	196,0	507,00	780,00	800	1500	7252B.MP	66,000	8875,12
260	480	80	5,0	2,0	196,0	507,00	780,00	800	1500	7252B.MP.UA	66,000	9141,18
260	480	80	5,0	2,0	196,0	507,00	780,00	800	1500	7252B.MP.UO	66,000	9141,18